3 - 35

3 - 1415 - 28

29 - 3536 - 49

36 - 39

40 - 47

47 - 48

50 - 61

49

Letter from the **Chairman of the Board**

Dear customers,

After many years at the head of FST, it's time for me to start my well-earned retirement. Beforehand, I would like to personally thank you for your loyalty over the past 40 years. From the day Fine Science Tools was founded, we have always worked hard to provide our customers with the highest quality instruments and outstanding customer service, which you deserve. Thanks to our loyal, supportive customers we are still the leading global supplier for universities, research organizations and scientific institutions for surgical and microsurgical instruments made in Europe. As a result of this sustained success and continuous growth. our US office moved into a larger facility, making it possible to provide even better customer service and support.

This expansion is cohesive with our motto for this year: "VISION 2020". In relation to this motto, there has also been a change in management. Leading into my retirement, I am very happy that I have arranged for my nephew, Markus, to become the new owner and director of FST. He will work together with my son Rob, who is currently the President and owner of FST for many years now.

Markus has many years' of experience as a manager for various large companies. Before joining FST, he was a manager responsible for several marketing and sales agencies. With his expertise, he will actively support Rob, Michael and Christina in the management of FST, making sure that our name continues to be synonymous with outstanding quality and service. He will effectively apply his knowledge and experience to help the company break into new and growing markets around the world.

Now, I would like to take this opportunity to thank you once again, on behalf of myself and the Fine Science Tools team, for your continued support and loyalty. We look forward to working with you and supporting you with your projects and undertakings in the future.

Sincerely.



Hans Gawenda, Chairman of the Board



Hans Gawenda Chairman of the Board



Markus Gawenda Managing Partner



Rob Gawenda President



Michael Dosch Chief Executive Officer





Scissors

Spring



63 – 91
63 - 72
73 - 80
74
75, 77
81 - 91
92 - 97



99 – 103
102 - 105
106 - 107
108
110 - 121
110 - 118
119 - 121
122 - 129
130 - 139
130 - 134
135
136 - 139



Animal Accessories Feeding Needles	141 – 143 141
Animal Identification	142 - 143
Instrument Care & Accessories	144 – 155
Hot Bead Sterilizer	149
Instrument Cases	152 – 155
Surgical Accessories	156 - 159
Drill Accessories	157
Cauterizers	158
Laboratory Accessories	160 – 171
Tools	160 - 165
Magnifiers & Lens Paper	166 — 171



Student Quality Instruments Quality instruments with the student in mind	173 – 179
Scissors	173 - 174
Vessel Dilator	175
Forceps	175 – 177
Hemostat, Needle Holder, Pin Holder, Scalpel Handle & Retractor	178 – 179



eference Pages	181 – 200
Worldwide Locations	181
Scissors Test	182
Features and Alloys	183
Maintenance and Care	184 - 185
Quality Control	186
Student Line	187
Selection	188
Dumont	189
Numerical and Alphabetical Indexes	190 - 199
Additional Information	200



These Vannas-style spring scissors have the smallest blades ever produced. They are ideal where space is restricted and where absolute precision is demanded.

The short taper is ideal for small, precise cuts.

The long taper is ideal for cutting vessel walls or when a longer cutting edge is needed.







Cutting edge: 2 mm Tip diameter: 0.05 mm 8 cm



Straight

No. 15000-03 \$431.00

Curved

No. 15000-04 \$452.00

Cutting edge: 2.5 mm Tip diameter: 0.05 mm 8 cm



Curved

No. 15001-08

\$306.00



Angled to side

No. 15002-08 \$295.00

Cutting edge: 3 mm Tip diameter: 0.05 mm 8 cm





Straight

No. 15000-00 \$357.00

No. 15000-10 \$363.00



\$266.00

No. 15000-08



Vannas



Cutting edge: 4 mm Tip diameter: 0.15 mm 10.5 cm



Straight

No. 15018-10 \$270.00



Curved

No. 15019-10 \$287.00

Vannas-Tübingen



Cutting edge: 5 mm Tip diameter: 0.1 mm



Straight 8.5 cm

No. 15003-08 \$289.00





Curved 8.5 cm

No. 15004-08 \$299.00



No. 15008-08 \$299.00



Angled up 9.5 cm

No. 15005-08 \$306.00

Vannas Scissors with Microserrations

Microserrated to minimize slippage.



Tip diameter: 0.1 mm



Straight

Cutting edge: 4 mm 8.5 cm No. 15070-08 \$369.00

Cutting edge: 5 mm 9 cm No. 15007-08 \$374.00



Curved

Cutting edge: 4 mm 8.5 cm No. 15071-08 \$386.00



Miniature Vannas

Hand finished using 40x magnification, these tips are especially useful when incising vessel walls for catheter insertion.



Cutting edge: 5 mm Tip diameter: 0.1 mm 8 cm



Straight

Moria 9600 **No. 15396-00** \$613.00



Curved

Moria 9601 **No. 15396-01** \$617.00

Titanium Vannas



Cutting edge: 5 mm Tip diameter: 0.3 mm 9.5 cm



Straight

No. 15610-08 \$560.00



Curved

No. 15615-08 \$573.00



Angled up

No. 15617-08 \$578.00

Cohan-Vannas

Long cutting blades for a more controlled cut.



Cutting edge: 6 mm Tip diameter: 0.1 mm 5.7 cm



Straight

Sharp/Sharp No. 15000-02 \$363.00





Curved

Sharp/Sharp No. 15000-01 \$368.00

Blunt/Blunt **No. 15000-11** \$357.00

ToughCut® Spring Scissors



Cutting edge: 6 mm Tip diameter: 0.3 mm 12.5 cm



Straight

No. 15124-12 \$523.00



Curved

No. 15123-12 \$538.00

Round Handled Vannas

Round handles allow easy fingertip adjustments.



Cutting edge: 6 mm Tip diameter: 0.075 mm 12.5 cm



Straight

No. 15400-12 \$363.00



Curved

No. 15401-12 \$380.00



Cutting edge: 6 mm Tip diameter: 0.15 mm 14 cm



Straight

No. 15020-15 \$348.00



Curved

No. 15021-15 \$359.00

Ceramic Coated Spring Scissors



Vannas-Wolff



Ultra long cutting edge without sacrificing tip width.



Cutting edge: 7 mm Tip diameter: 0.1 mm 10 cm



Curved

No. 15750-11 \$405.00

No. 15751-11 \$425.00

Cutting edge: 7 mm Tip diameter: 0.15 mm 10 cm





Straight

Moria MC52 No. 15370-52 \$639.00

Curved

Moria MC50 No. 15370-50 \$683.00

Cutting edge: 8 mm Tip diameter: 0.1 mm 8.5 cm



Straight

No. 15009-08 \$374.00



Same as No. 15006-09 but with a ball tip to prevent piercing of underlying tissue.





Cutting edge: 10 mm Tip diameter: 0.125 mm

10 cm



No. 15006-09 \$297.00

Cutting edge: 8 mm Tip diameter: 1.3 mm Ball

9 cm



No. 15033-09 \$334.00

Cutting edge: 8 mm Tip diameter: 0.15 mm 10 cm



Straight Sharp/Sharp

No. 15024-10 \$256.00



Straight Blunt/Blunt

No. 15025-10

\$242.00



Curved Sharp/Sharp

No. 15023-10 \$276.00

Dowell



Cutting edge: 10 mm Tip diameter: 0.1 mm 11.5 cm



Straight

No. 15040-11 \$340.00



Angled up



Noyes



Cutting edge: 14 mm Tip diameter: 0.2 mm 12 cm



Straight





Curved No. 15011-12

\$281.00



Angled up

No. 15013-12 \$293.00

Tungsten Carbide Noyes

Tungsten carbide cutting edges provide long lasting sharpness.



Tungsten Carbide Cutting Edges

Cutting edge: 14 mm Tip diameter: 0.275 mm 12 cm



Straight

No. 15514-12 \$410.00

Castroviejo



Cutting edge: 10 mm Tip diameter: 0.2 mm

10 cm



No. 15017-10

\$287.00

Ceramic Coated Titanium Castroviejo



Cutting edge: 5 mm Tip diameter: 0.2 mm 11 cm



Straight

No. 15650-11 \$494.00



Curved

No. 15651-11 \$513.00





Cutting edge: 15 mm Tip diameter: 0.25 mm 11 cm



Slightly curved

No. 15015-11 \$283.00

Fine Angled Spring Scissors

These spring scissors aid in cutting tissues from various angles.



Trident II

A re-release of a popular spring scissors now with a new innovative design for a better feel.





Angled Cutting edge: 2 mm Tip diameter: 0.1 mm 9.5 cm

No. 15010-09 \$402.00



Angled Cutting edge: 4 mm Tip diameter: 0.125 mm 10 cm

No. 15010-10 \$389.00





Straight

No. 15110-08 \$361.00



Angled

No. 15111-08 \$374.00

Pascheff-Wolff

Very delicate blades.



Cutting edge: 3 mm Tip diameter: 0.15 mm 10.5 cm



Angled

Moria MC19/B No. 15371-92 \$538.00



\$494.00

\$497.00

Cutting edge: 2.5 mm Tip diameter: 0.175 mm 14.5 cm



200% of actual size

Straight Microserrations to minimize slippage.

No. 15030-14 \$639.00



200% of actual size

Angled to side

No. 15031-14 \$677.00

Vitrectomy Scissors

The finest blades on spring scissors. Designed for ophthalmic surgery (vitrectomy). The spring handles are made of ribbed plastic to ensure a solid grip. **Autoclavable.**



14 cm



200% of actual size

Straight Cutting edge: 2.2 mm Tip diameter: 0.15 mm

No. 15036-14 \$995.00



Angled 90°
Cutting edge: 1 mm
Tip diameter: 0.1 mm

No. 15037-14 \$995.00

Ultra Fine Clipper Scissors II

For microscopic dissections of soft and mucous tissue. The minute fineness of the blades allows clear visualization of the tissue being dissected.



Uses:

- · Removing sheath of ganglia to access neurons in aplysia.
- · Cutting single nerve axons in aplysia, mollusk and snail.
- Stripping fascia off arteries and muscles.
- Ultra fine brain tissue dissection.
- Cutting of minute fiber optic strands.

Blade shape: Triangular Blade thickness: 0.1 mm Tip thickness: 0.05-0.08 mm Cutting edge: 1.5-2 mm

10 cm

No. 15300-00 \$446.00

Biemer Scissors

These scissors are designed to securely cut vessels without slipping.



Cutting edge: 4 mm

8.5 cm

No. 15032-08 \$419.00

Cutting edge: 2 mm

13 cm

No. 15032-13 \$425.00

Extra Fine Bonn

Our finest iris scissors, best suited for microdissection under high magnification.





Straight 8.5 cm

Sharp/Sharp No. 14084-08 \$95.00



Sharp/Sharp No. 14085-08 \$98.00



Sharp/Blunt No. 14083-08 \$91.00

Bonn





Straight Sharp/Sharp 9 cm

No. 14184-09 \$109.00



Curved Sharp/Sharp 9 cm

No. 14185-09 \$115.00

ToughCut® Bonn-Strabismus

A fusion of two light and delicate iris scissors with ToughCut cutting edges.



Toughou



Straight Blunt/Blunt 9 cm

No. 14084-09 \$135.00



Curved Blunt/Blunt 9 cm

No. 14085-09 \$143.00

Hardened Fine Iris Scissors

These scissors have undergone an extra vacuum hardening process that extends the life of their cutting edges. They have an anti-reflective finish to reduce glare.





Straight
Sharp/Sharp



9 cm **No. 14090-09** \$82.00

11 cm **No. 14090-11** \$95.00



Curved Sharp/Sharp

9 cm **No. 14091-09** \$93.00

11 cm **No. 14091-11** \$99.00

Fine Iris Scissors

Made from Martensitic stainless steel, combined with Molybdenum and Vanadium.





Straight Sharp/Sharp 10.5 cm





Curved Sharp/Sharp 10.5 cm

No. 14095-11 \$117.00

Delicate pattern.





Straight Sharp/Sharp

9 cm **No. 14060-09** \$70.00

10.5 cm **No. 14060-10** \$72.00

11.5 cm **No. 14060-11** \$73.00



Curved Sharp/Sharp

9 cm **No. 14061-09** \$75.00

10.5 cm **No. 14061-10** \$76.00

11.5 cm **No. 14061-11** \$78.00



Curved to side Sharp/Sharp

9 cm **No. 14062-09** \$98.00

10.5 cm **No. 14062-10** \$107.00



Angled to side Sharp/Sharp

9 cm **No. 14063-09** \$95.00

11.5 cm **No. 14063-11** \$102.00





Straight Sharp/Sharp



No. 14160-10 \$131.00



Curved Sharp/Sharp



 $10.5\,\mathrm{cm}$

No. 14161-10 \$136.00

Extra narrow, delicate pattern. Very slim blades with gentle cutting action.







Straight Sharp/Sharp 10.5 cm

Moria 4877 **No. 14370-22** \$157.00



Shallow curve Sharp/Sharp 10.5 cm

Moria 4878 **No. 14370-23** \$157.00



Straight Sharp/Sharp 10.5 cm

No. 14088-10 \$86.00

Wagner







No. 14040-10 \$84.00



Curved Sharp/Sharp Large finger loops 10 cm

No. 14041-10 \$90.00



Straight
Sharp/Sharp
Non-serrated
12 cm

No. 14068-12 \$73.00



Curved Sharp/Sharp Non-serrated 12 cm

No. 14069-12 \$78.00



Straight Sharp/Sharp Serrated 12 cm

No. 14070-12 \$82.00



Curved Sharp/Sharp Serrated 12 cm

No. 14071-12 \$91.00

ToughCut®



ToughCut



Straight Sharp/Sharp

9 cm No. 14058-09 \$76.00

11.5 cm No. 14058-11 \$82.00



Curved Sharp/Sharp

9 cm

\$80.00

11.5 cm No. 14059-11 \$85.00

No. 14059-09

Tungsten Carbide



Tungsten Carbide Cutting Edges



Straight Sharp/Sharp

9 cm No. 14568-09 \$130.00

11.5 cm No. 14568-12 \$135.00



Curved Sharp/Sharp

9 cm No. 14569-09 \$136.00

11.5 cm No. 14569-12 \$141.00

ToughCut® and Tungsten Carbide



ToughCut and Tungsten Carbide Cutting Edges



Straight Sharp/Sharp

9 cm No. 14558-09 \$246.00

11.5 cm No. 14558-11 \$250.00



Curved Sharp/Sharp

9 cm

No. 14559-09 \$264.00

11.5 cm No. 14559-11 \$268.00

CeramaCut®

These ceramic-coated scissors are the cleanest cutting, longest lasting scissors ever produced. Utilizing the unique properties of a ceramic coating, they will last six times longer than tungsten carbide instruments and cut even better than ToughCut® scissors. The black, corrosion-resistant coating has a non-glare finish.



CeramaCut



Straight Sharp/Sharp

9 cm No. 14958-09 \$330.00

11.5 cm No. 14958-11 \$330.00



Curved Sharp/Sharp

9 cm No. 14959-09 \$340.00

11.5 cm No. 14959-11 \$340.00

Lexer-Baby







Straight Sharp/Blunt 10 cm

No. 14028-10 \$79.00



Curved Sharp/Blunt 10 cm

No. 14029-10 \$80.00



Straight Blunt/Blunt 10 cm

No. 14078-10 \$76.00



Curved Blunt/Blunt 10 cm

No. 14079-10 \$81.00

Strabismus





Straight Blunt/Blunt

9 cm **No. 14074-09** \$68.00

11.5 cm **No. 14074-11** \$81.00



Curved Blunt/Blunt

9 cm

No. 14075-09 \$73.00

11.5 cm **No. 14075-11** \$88.00

Tungsten Carbide Strabismus



Tungsten Carbide Cutting Edges



Straight Blunt/Blunt

9 cm **No. 14574-09** \$135.00

11 cm **No. 14574-11** \$141.00



Curved Blunt/Blunt

9 cm **No. 14575-09** \$142.00

11 cm **4-11 No. 14575-11** \$148.00

Walton

Stevens Tenotomy







Slightly curved Sharp/Sharp

9.5 cm **No. 14077-09** \$95.00

10.5 cm **No. 14077-10** \$97.00



Straight
Sharp/Sharp
11 cm

No. 14064-11 \$91.00



Straight Blunt/Blunt 11 cm

No. 14066-11 \$87.00



Curved Sharp/Sharp 11 cm

No. 14065-11 \$93.00



Curved Blunt/Blunt 11 cm

No. 14067-11 \$89.00

LaGrange

One edge is serrated to minimize slippage of tissue during cutting. Curved handle helps when cutting from an awkward angle.



Curved Sharp/Sharp 11.5 cm

No. 14173-12 \$99.00

Shea

Transplant scissors with light and delicate pattern.





Blunt/Blunt 12 cm

No. 14105-12 \$105.00

Dissector Scissors

Slim blades for cutting tissue.

Similar to 14081-09, but with stronger blades for cutting fine bone.

Spencer Ligature

Used for cutting stitches or suture.





Angled to side Sharp/Sharp Cutting edge: 8 mm 10 cm

No. 14081-09 \$90.00

Angled to side Sharp/Sharp Cutting edge: 12 mm 10.5 cm

No. 14082-09 \$94.00

Sharp/Sharp 9 cm

No. 14076-09 \$66.00

Bonn Artery

Iris scissors with one ball tip to prevent piercing of underlying tissue.

Tissue Separating Scissors





Sharp/1.5 mm Ball 9 cm

No. 14086-09 \$96.00 Sharp/1.5 mm Ball

11.5 cm

No. 14080-11 \$93.00

See page 8 for artery-style spring scissors.

Blunt/Blunt 11.5 cm

No. 14072-10 \$93.00



The finger loops can be enlarged to fit almost any size.



Straight Large finger loops 9.5 cm



Sharp/Sharp No. 14106-09 \$79.00



Blunt/Blunt No. 14108-09 \$76.00

Kaye

These scissors have semi-sharp outer edges to better facilitate dissection.





Gently curved Blunt/Blunt Serrated Large finger loops 10.5 cm

No. 14171-10 \$93.00



Sharply angled up Sharp/Sharp 10.5 cm

No. 14037-10 \$106.00

Standard Pattern

Our standard surgical scissors are recognized for these important features:

- Special alloy that gives their cutting edges long life and superior sharpness.
- Excellent feel and handling capability.
- Overall execution that marks them as fine examples of German workmanship.



Length (cm)	Straight Sharp/Sharp		Straight Sharp/Blunt		Straight Blunt/Blunt	
12	No. 14002-12	\$48.00	No. 14001-12	\$47.00	No. 14000-12	\$46.00
13	No. 14002-13	\$50.00	No. 14001-13	\$49.00	No. 14000-13	\$48.00
14.5	No. 14002-14	\$53.00	No. 14001-14*	\$52.00	No. 14000-14	\$51.00
16.5	No. 14002-16	\$57.00	No. 14001-16	\$54.00	No. 14000-16	\$53.00
18.5			No. 14001-18	\$59.00	No. 14000-18	\$56.00
20					No. 14000-20	\$60.00

^{*} Left-handed version also available.



No. 14008-14 \$186.00







Length (cm)	Curved Sharp/Sharp		Curved Sharp/Blunt		Curved Blunt/Blunt	
12	No. 14005-12	\$53.00	No. 14004-12	\$52.00	No. 14003-12	\$51.00
13	No. 14005-13	\$56.00	No. 14004-13	\$53.00	No. 14003-13	\$52.00
14.5	No. 14005-14	\$57.00	No. 14004-14	\$55.00	No. 14003-14	\$53.00
16.5	No. 14005-16	\$59.00	No. 14004-16	\$59.00	No. 14003-16	\$56.00
18.5			No. 14004-18	\$65.00	No. 14003-18	\$62.00
20					No. 14003-20	\$70.00

ToughCut® Standard Pattern



Straight Sharp/Blunt

13 cm **No. 14054-13** \$87.00

17.5 cm **No. 14130-17** \$97.00

with Serrations TUNGSTEN CARBIDE For more information see page 183. S.T 14007-14 - S-T 14501-14

Tungsten Carbide Cutting Edges

Tungsten Carbide Standard Pattern



Straight Sharp/Sharp 14.5 cm

No. 14502-14

\$114.00

Straight narp Sharp/Blunt 14.5 cm

No. 14501-14 \$112.00



Curved Sharp/Sharp 14.5 cm

No. 14505-14 \$119.00



Curved Sharp/Blunt 14.5 cm

No. 14504-14 \$117.00 Straight Sharp/Blunt Serrated 14 cm

Standard Pattern

No. 14007-14 \$75.00

Standard Pattern with Large Finger Loops



Tungsten Carbide Mini-Lister



Tungsten Carbide Cutting Edges

Lister

Excellent skin cutting scissors. Longer, blunt blade prevents damaging tissue underneath skin without losing the cutting line.



Straight Sharp/Blunt Large finger loops 14.5 cm

No. 14101-14 \$53.00

Angled to side Blunt/Blunt Smooth 9 cm

No. 14531-09 \$204.00 Angled to side Blunt/Blunt Serrated 14 cm

No. 14131-14 \$92.00

Metzenbaum Baby Straight Curved Blunt/Blunt Blunt/Blunt 13 cm 13 cm No. 14018-13 No. 14019-13 \$93.00 \$99.00 14.5 cm 14.5 cm No. 14018-14 No. 14019-14 \$101.00 \$106.00 18 cm 18 cm No. 14018-18 No. 14019-18

Tungsten Carbide Metzenbaum Fino



Tungsten Carbide Cutting Edges



Straight Blunt/Blunt Ultra fine tips

14.5 cm No. 14508-15 \$165.00



Straight Blunt/Blunt

14.5 cm No. 14518-14 \$124.00

18 cm No. 14518-18 \$131.00



Curved Blunt/Blunt Ultra fine tips

14.5 cm

No. 14509-15 \$169.00



Curved Blunt/Blunt

14.5 cm No. 14519-14 \$133.00

18 cm No. 14519-18 \$135.00

\$112.00

\$117.00







Straight Sharp/Blunt

14.5 cm **No. 14024-14** \$81.00



Straight Blunt/Blunt

14.5 cm **No. 14016-14** \$79.00

18 cm **No. 14016-18** \$84.00



Curved Blunt/Blunt

14.5 cm **No. 14017-14** \$81.00

18 cm **No. 14017-18** \$87.00



Straight Blunt/Blunt

14.5 cm **No. 14116-14** \$80.00

18 cm **No. 14116-18** \$92.00



Curved Blunt/Blunt

14.5 cm **No. 14117-14** \$85.00

18 cm **No. 14117-18** \$96.00

Mayo ToughCut® Mayo **Tungsten Carbide Mayo** SCISSORS TOUGH -CUT For more information see page 183. F.S.T 14010-15 ToughCut Straight Straight Curved Straight Curved Blunt/Blunt Blunt/Blunt Blunt/Blunt Blunt/Blunt Blunt/Blunt 15 cm 15 cm 15 cm 15 cm 15 cm No. 14010-15 No. 14510-15 No. 14011-15 No. 14110-15 No. 14111-15 \$62.00 \$68.00 \$92.00 \$93.00 \$124.00 17 cm 17 cm 17 cm 17 cm 17 cm No. 14010-17 No. 14110-17 No. 14011-17 No. 14111-17 No. 14510-17 \$64.00 \$73.00 \$97.00 \$134.00 \$139.00 \$96.00



No. 14512-17

\$260.00





Friedman-Pearson

This popular, fine-tipped rongeur is suited for delicate work. The fine-cupped jaws have been designed with a longer and slimmer approach for better visibility.

Pearson

Provides excellent visibility at dissection site due to its extra long and narrow approach to the fine cutting jaws. Especially suitable for larger hands.






No. 16020-14

\$318.00


No. 16021-14

\$323.00



Friedman

Strong and large jaws are ideal for use on the harder, outer regions of the spinal cord. Also can be used to gain access to delicate structures encased in bone.






Curved 2.5 mm Cup 13 cm

No. 16000-14 \$306.00



Extra fine jaws.



No. 16004-16

\$300.00

No. 16005-16

\$306.00





Curved 4 mm Cup 15 cm

No. 16001-15 \$318.00

Bone Trimmers

Cartilage Cutter

Round cutting blades for tissue, cartilage and soft bone.



Curved Cutting edge: 8 mm 14 cm

No. 16109-14 \$308.00





No. 16107-14 \$179.00

Dumont #15a Bone Cutter

Cutting edge on both outside and inside bevel. Cuts suture, cartilage, bone and steel wire to 0.06 mm, and copper wire to 0.15 mm. **Not autoclavable.**



Hard carbon steel



Cutting edge: 10 mm Jaw opening: 2.5 mm Hard carbon steel 11.5 cm

No. 11215-01 \$98.00

Dumont #15a Bone Cutter Epoxy Coated

Same structure and functionality as Item No. 11215-01 (left), but with an epoxy coating up to the cutting edge for easier care and maintenance. **Not autoclavable.**



Cutting edge: 6 mm Jaw opening: 2.5 mm Epoxy coated carbon steel 11.5 cm

No. 11215-02 \$60.00

Bone Forceps

Strong cross-serrated tips for bone crushing and removal.





Angled Cross serrated Tip diameter: 1 mm 11.5 cm

No. 16060-11 \$120.00

Bone Nipper



Offset Bone Nipper

Strong jaws for cutting tough cartilage.





Angled Cutting edge: 5 mm 11 cm

No. 16102-11 \$153.00



Angled Cutting edge: 7 mm 10 cm

No. 16101-10 \$159.00

Malleus Nipper



ight Angled dow

Straight Serrated Cutting edge: 9 mm 11 cm

No. 16140-11 \$153.00



No. 16141-11 \$177.00



Angled up Serrated Cutting edge: 9 mm 11 cm

No. 16142-11 \$177.00

Bone Cutting Spring Scissors



Straight Cutting edge: 12 mm 13 cm

No. 16144-13 \$130.00

Delicate Bone Cutting Spring Scissors

Slim, strong blades for cutting fine bones and tissues.





Curved Cutting edge: 12 mm 12 cm

No. 16143-12 \$265.00

Littauer Bone Cutter

Beebee Bone Scissors

Very strong jaws with sharp points.

Tungsten Carbide Bone Scissors

Strong heavy blades for cutting bone.







Tungsten Carbide Cutting Edges

Cutting edge: 15 mm 11 cm No. 16152-11 \$120.00

Cutting edge: 17 mm 12.5 cm **No. 16152-12** \$140.00

Cutting edge: 19 mm 15 cm No. 16152-15 \$142.00



Straight Cutting edge: 15 mm 10 cm

No. 16044-10 \$54.00

Straight Cutting edge: 15 mm 12.5 cm

No. 16030-12 \$167.00

Straight Cutting edge: 15 mm

16 cm

No. 16030-16 \$187.00

Boehler

Bone splitting cutter with very fine tips and double action joint to relieve strain on your hand.



Angled up 10° Cutting edge: 18 mm 15 cm

No. 16130-15 \$528.00

Skull Flap Cutter

One tip has a flat and narrow platform which fits between dura and skull. Other tip has sharp cutting edge.





Angled up 15° Cutting edge: 10 mm 14 cm

No. 16050-15 \$595.00

Cleveland Cutter



Straight

Cutting edge: 14 mm 15 cm No. 16106-14 \$295.00

Cutting edge: 15 mm 17 cm No. 16105-16 \$300.00

Liston

Gross anatomy bone cutter.



Straight

Cutting edge: 20 mm 14 cm No. 16104-14 \$284.00

Cutting edge: 30 mm 20 cm **No. 16104-19** \$357.00

Bone Shears



Cutting edge: 6.5 cm 24 cm

No. 16150-24 \$99.00

Bone Pliers

To peel back skull flaps.





15.5 cm

No. 16025-14 \$266.00

Self-Holding Pin and Bone Screw Forceps

Designed with a serrated tip and grooved cup for a stable and secure grip, these forceps hold pins and screws allowing precise placement at your target area. They are compatible with all Fine Science Tools insect pins, minutien pins and bone screws.



Polished stainless steel 14 cm

No. **26100-00** \$124.00



Miniature Self-Tapping Bone Screws

Used extensively to anchor dental cement to bone, these self-tapping screws have superior holding strength over ordinary machine screws. Stainless steel with fillister flat head.

Shaft diameter: 0.86 mm Length: 4 mm

Pkg. of 100 screws **No. 19010-10** \$198.00

For pre-drilling use our 0.7 mm burrs, see page 157.

Shaft diameter: 1.19 mm Length: 4.8 mm

Pkg. of 100 screws **No. 19010-00** \$98.00

For pre-drilling use our 0.9 mm burrs, see page 157.

Bone Wax

A beeswax-based compound for bone hemostasis. Soft, kneadable and ready to use. **Sterile.**



Box of 12 foil packs (2.5 g each) No. 19009-00 \$168.00

Micro Curette Delicate Bone Austin Chisel Dissecting Scraper Chisel Curette tips consist of a scoop with sharp edges and are used for scraping or cleaning. They can also For scraping tissue be used for separating and transporting, inoculating without cutting plates or transferring small amounts of chemicals. into bone. Serrations on cutting edge 1 mm 1.5 mm $3.5\,\text{mm}$ ¶ ≖ 0.5 mm 13 cm 13 cm 13 cm 12.5 cm 16.5 cm 16 cm 12.5 cm 16 cm No. 10075-16 No. 10080-05 No. 10081-10 No. 10082-15 No. 10083-20 No. 10096-16 No. 10097-16 No. 10095-12

\$67.00

\$114.00

\$148.00

\$148.00

\$108.00

\$111.00

\$106.00

\$129.00

Von Graefe Knife

Used for cutting dura.



One of the most popular dissecting knives with a microfine point. The cutting edge is lance shaped to provide the ideal cutting angle.



Cutting edge: 4 mm 12.5 cm



Straight

No. 10055-12 \$120.00



Angled 30°

No. 10056-12 \$125.00







Cutting edge: 9 mm


12 cm

No. 10073-14 \$108.00



Angled 90° Cutting edge: 1.5 mm 13 cm

No. 10059-13 \$87.00



Ceramic Blades

Advantages:

- Ceramic edge stays sharp 100 times longer than steel edge
- Rust and corrosion free
- · Chemical and acid resistant
- Withstands up to 2400°C (4352°F)
- No electrostatic discharge concerns
- No trace metal contamination
- Fully nonmagnetic
- Autoclavable



Handle

12.5 cm **No. 10025-50** \$10.00

Diamond Knives

This knife has a gem-quality, neutral diamond blade which is honed to the finest cutting edge possible. The blade is made to an ophthalmic surgical standard and is inspected under 400x magnification. The retractable handle aids in care and storage.

Cautionary note:

This blade is extremely fragile and vulnerable to lateral pressure.





Cutting angle: 30° **No. 10100-30** \$510.00



Cutting angle: 45° **No. 10100-45** \$510.00



Obsidian Stone Age Scalpels

For applications where extremely fine cuts are required or for studies where trace metals from ordinary scalpel blades cannot be tolerated. These ultra fine cutting edges have been used in human surgical procedures where objectionable scar tissue results from the use of standard scalpels.

The blade is made from obsidian—a type of volcanic glass—which allows a much finer blade than is possible with the conventional steel blade. In some cases this makes the relatively inexpensive obsidian scalpel a suitable substitute for an expensive diamond knife.

Patterned after "stone age" knives which first made their appearance about 18,000 years ago, these modern versions utilize hard wood and plastic dowels for handles. Plastic dowels are made of polyoxymethylene.

Cautionary note:

Obsidian is a very fragile material. Great care should be taken to not exert any lateral pressure on the blade during cutting. Each blade is hand-fashioned, so sizes, shapes and points will vary. While all the blades will have at least one sharp edge, some will have two.



Gross Anatomy Knives

Handles are made of fiberglass reinforced yellow nylon with a slip resistant surface that allows little chance of bacterial accumulation. The blades are made of German Molybdenum Stainless Steel.



40% of actual size



Cutting edge: 13 cm 28 cm No. 10157-13 \$29.00 Cutting edge: 15 cm 30 cm No. 10157-15 \$32.00

Cutting edge: 18 cm 33 cm No. 10157-18 \$39.00 Cutting edge: 30 cm 45 cm **No. 10152-30** \$63.00

Blade Holders and Breakers





Flat surface

Jaw width: 4 mm 11 cm No. 10052-11 \$233.00



Surface with concave and convex jaws

Handle diameter: 5.5 mm 9 cm

No. 10053-09 \$443.00

Handle diameter: 8 mm 13 cm No. 10053-13 \$461.00

Breakable Carbon Steel Blades

These special, high carbon content blades are the only blades that will break cleanly.




Blade thickness: 0.1 mm

Box of 10 blades **No. 10050-00** \$21.00

Create Your Own Blade

With these blade holders/breakers and our special carbon steel blades, No. 10050-00, you can produce microblades in sizes that meet your own individual needs.



Cold forged from carbon steel and sharpened to eliminate tissue distortion and blade drag. 12.5 cm plastic handle with slip-proof grip. **Sterile.**



5 mm

Cutting angle: 15° Tip thickness: 0.15 mm Cutting edge: 5 mm 13 cm

No. 10315-12 \$28.00

No. 10316-14 \$24.00

13.5 cm

Cutting angle: 22.5°

Tip thickness: 0.15 mm

MOST Popular

Cutting edge: 4.5 mm

4.5 mm



Crescent blade Tip thickness: 0.20 mm Cutting edge: 11 mm 14 cm

No. 10317-14 \$57.00



Needle blade Tip thickness: 0.20 mm Cutting edge: 4 mm 14.5 cm

No. 10318-14 \$76.00

Interchangeable Carbon Steel Blades



Handle for

Blades

9.5 cm

\$61.00

12.5 cm **No. 10035-12** \$62.00

Interchangeable

No. 10035-00



Angled blade Carbon steel Cutting edge: 10 mm

Pkg. of 5 blades No. 10035-15 \$21.00



Curved blade Carbon steel Cutting edge: 10 mm

Pkg. of 5 blades **No. 10035-20** \$21.00



Small flat blade Carbon steel Cutting edge: 1.5 mm

Pkg. of 5 blades **No. 10035-05** \$20.00



Large flat blade Carbon steel Cutting edge: 2.75 mm

Pkg. of 5 blades **No. 10035-10** \$20.00



Cane blade Carbon steel Cutting edge: 12 mm

Pkg. of 5 blades **No. 10035-25** \$25.00



Arc blade Carbon steel Cutting edge: 12 mm

Pkg. of 5 blades **No. 10035-30** \$60.00

Scalpel with Plastic Handle #4

For heavy, gross anatomy work. Molded to fit hand.



Standard Scalpel Handle #4 Solid

Especially suitable for large dissections.



#4 Plastic 13.5 cm

No. 10008-13 \$44.00 #4 Solid 13 cm

No. 10004-13 \$19.00

Blades for #4 Scalpel Handle

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**



Box of 100 blades **No. 10020-00** \$68.00



Box of 100 blades **No. 10021-00** \$68.00



Box of 100 blades **No. 10022-00** \$68.00



Box of 100 blades **No. 10023-00** \$68.00

Standard Scalpel Handle #3 Solid

Secure Scalpel Handle #3


A safety lock holds the blade securely, and allows simple and safe blade attachment and removal.

TOOO3-12



No. 10003-12 \$19.00





#3 12 cm

No. 10003-13 \$24.00

Blades for #3 and #7 Scalpel Handles

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**



Box of 100 blades **No. 10010-00** \$68.00



Box of 100 blades No. 10011-00 \$68.00





Box of 100 blades **No. 10015-00** \$68.00

Short Scalpel Handle #7 Solid

Standard Scalpel Handle #7 Solid



No. 10007-12

#7 short 12 cm



No. 10007-16 \$29.00

Scalpel Blade Remover

For safe removal of scalpel blades, simply insert scalpel with blade into the Scalpel Blade Remover and press the sides together. This will dislodge the blade from handle and hold the blade securely for release.




Scalpel Blade Removal and Disposal Box

This plastic device will remove used scalpel blades safely and retain them for safe disposal. Can be used for blades that fit the #3, #4, #7 and Gross Anatomy handles.

Capacity approximately 80 blades 7.5 x 5 x 2.5 cm

Carton of 10 boxes **No. 10002-50** \$38.00






Gross Anatomy Blade and Handle

Disposable Safety Scalpels

Plastic handle #3 with stainless steel blades. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Single-use and non-sterile.**








#11 scalpels Pkg. of 10 **No. 10000-11** \$32.00

#15 scalpels Pkg. of 10 **No. 10000-15** \$32.00

Safety Scalpel Handle #3 and Blade Cartridges

The Safety Scalpel Handle #3 is compatible with all Safety Scalpel Blades. The handle is reusable and made of Teflon coated stainless steel which provides a non-stick surface. The Blade Cartridges are color-coded with clear windows for easy identification. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Handle is reusable and autoclavable. Blades are single-use and non-sterile.**



Safety Scalpel Handle #3



Safety Scalpel Blade Cartridges



#10 blades
Pkg. of 10
No. 10010-10
\$32.00

Teflon coated stainless steel

12.5 cm

\$14.00

No. 10006-12



#11 blades Pkg. of 10 **No. 10011-10** \$32.00





#15 blades Pkg. of 10 **No. 10015-10** \$32.00



Scalpel blade shown with safety cartridge closed and not attached to handle.

Safety Scalpel Blade Cartridges shown open and attached to handle. Handle and cartridges sold separately.





Dumont #5SF

The finest tips ever produced by Dumont.

Dumont #5 Fine Tips

Finished under magnification and polished on the inside, the tips close flat to 3 mm and are less likely to open under excess pressure.

Dumont #5 Ceramic Coated

These forceps are non-reflective. The scratch and corrosion resistant coating guarantees durability.

Dumont #5CO

These forceps have been honed down to make this the lightest and most precise Dumont forceps available.









For information on Dumont alloys and tip styles, see page 189.

MOST POPULAR

Biology tip 0.05 x 0.01 mm lnox 11 cm

No. 11254-20 \$63.00 Biology tip 0.05 x 0.01 mm Ceramic coated inox 11 cm

No. 11252-50 \$109.00

Biology tip 0.05 x 0.01 mm Dumostar 11 cm

No. 11295-20 \$81.00

Super fine tip 0.025 x 0.005 mm Inox 11 cm

No. 11252-00 \$114.00

Dumont Micro-Blunted, Atraumatic Tipped Forceps

The sides of these forceps are distinctively ribbed to provide a better holding surface for maximum control of the instrument. The shanks are arched toward each other to transmit more holding strength to the points. The smooth inside surfaces at the tips will close flat to 5 mm with gentle pressure, increasing the total holding area considerably. The microscopically matched tips are gently blunted to prevent tissue puncture and are recommended as micro needle holders.





Straight 0.10 x 0.06 mm Inox 11 cm

Medical #5 No. 11253-20 \$45.00



Off-center 0.13 x 0.08 mm Inox 11.5 cm

Medical #5A No. 11253-21 \$49.00



Short curve 0.17 x 0.10 mm Inox 12 cm

Medical #7S No. 11273-22 \$55.00



Curved 0.17 x 0.10 mm Inox 11.5 cm

Medical #7 No. 11273-20 \$55.00



Angled 45° 0.10 x 0.06 mm Inox 11 cm

Medical #5/45 No. 11253-25

\$60.00



Angled 90° 0.10 x 0.06 mm Inox 11 cm

Medical #5/90 No. 11253-29 \$60.00

Dumont #55

Bevelled, like #5 but with extra light and fine shanks.



Biology tip 0.05 x 0.02 mm 11 cm

Inox No. 11255-20 \$50.00

Dumostar No. 11295-51 \$71.00

Dumont #5 Mirror Finish Forceps

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves, or any other adhesive tissue.



These are the most widely used Dumont forceps. Bevelled, very fine shanks for best visibility.



For information on Dumont alloys and tip styles, see page 189.



Standard tip Biology tip 0.10 x 0.06 mm Inox Inox

11 cm

No. 11251-23 \$93.00

0.05 x 0.02 mm 11 cm

No. 11252-23 \$98.00

Standard tip 0.10 x 0.06 mm 11 cm

Inox No. 11251-20 \$42.00

MOST Popular

Dumoxel No. 11251-30 \$41.00

Dumostar No. 11295-00 \$62.00

Carbon 0.08 x 0.04 mm Not autoclavable No. 11251-10 \$44.00

Biology tip 0.05 x 0.02 mm 11 cm

Inox

No. 11252-20 \$50.00

Dumoxel No. 11252-30 \$46.00

Dumostar No. 11295-10 \$68.00

·TITANIUM·

No. 11252-40 \$60.00

Dumont WA #5

These newly designed forceps offer improved stability with an ergonomic body that allows the forceps to fit more comfortably in your hand. A domed end with no soldering grooves allows the forceps to be thoroughly and easily cleaned, preventing biofilm residues.







Standard tip 0.10 x 0.06 mm Inox

CE

No. 11251-21 No. 11252-21 \$47.00 \$55.00

Biology tip 0.05 x 0.02 mm Inox 12 cm 12 cm

Side View

Standard tip 0.10 x 0.06 mm Inox 15 cm

No. 11253-10 \$72.00



Dumont #L5

Slide sleeve keeps tips together so specimens may be securely held and retained. Slide may be locked in place so that forceps can be used in regular fashion. Autoclavable.



Standard tip 0.10 x 0.06 mm Inox 11 cm

No. 11253-27 \$80.00

Dumont #5 Teflon® Coated

These antimagnetic forceps are ideal for use in cryogenic environments and for EM samples.



45° tips for improved visibility and control.



Designed to pick up cover slips out of multi-well plates. The tip width is squared for a better grip.







No. 11626-11 \$41.00







MOST Popular

Standard tip 0.10 x 0.06 mm Dumoxel 11 cm

No. 11251-35 \$47.00

1 mm from tip to bend Upper tip: 0.10 x 0.08 mm Lower tip: 0.10 x 0.02 mm Dumoxel 11.5 cm

No. 11251-33 \$66.00

Dumont #3

Tapered and sturdy shanks.



Standard tip 0.17 x 0.10 mm 12 cm

Dumoxel No. 11231-30 \$40.00

Dumostar No. 11293-00 \$60.00

Dumont #3c



Standard tip 0.17 x 0.10 mm Inox 11 cm

No. 11231-20 \$38.00

Dumont #6

Sharply angled tips for access to difficult areas.



Standard tip 0.17 x 0.10 mm Inox 11.5 cm

No. 11260-20 \$72.00

Dumont #7B

Dumont #7 Fine Tips

Finished under magnification and polished on the inside, the tips close flat to 3 mm and therefore less likely to open under excess pressure.



For information on Dumont alloys and tip styles, see page 189.



Dumont #7

Biology tip 0.07 x 0.03 mm Inox 11 cm

No. 11274-20 \$57.00

Standard tip 0.17 x 0.10 mm 11.5 cm

Dumoxel No. 11271-30 \$45.00

Dumostar No. 11297-00 \$75.00 Biology tip 0.07 x 0.04 mm 11.5 cm

Dumoxel No. 11272-30 \$55.00

Dumostar **No. 11297-10** \$77.00

·TITANIUM·

No. 11272-40 \$65.00

Dumont #7 Ceramic Coated



Biology tip 0.07 x 0.04 mm Ceramic coated inox 11 cm

No. 11272-50 \$89.00



Standard tip Serrated 0.17 x 0.10 mm Inox 11 cm

No. 11270-20 \$55.00

Dumont #4

Similar to #5, but with broader shanks.



Standard tip 0.13 x 0.08 mm Dumoxel 11 cm

No. 11241-30 \$42.00

Dumostar \$60.00

Biology tip 0.06 x 0.04 mm Dumoxel 11 cm

No. 11242-40 \$45.00

No. 11294-00

Dumont #2 **Laminectomy Forceps**

These forceps can be used to break off delicate bone during mouse laminectomies, as well as fine skull bone removal.



0.40 x 0.02 mm Inox 12 cm

No. 11223-20 \$60.00

Dumont #2AP Epoxy Coated

Provides good insulation for up to 220 AC voltage work and highly impervious to chemical solutions. Frozen or super cold sections will not adhere to the gripping surfaces.



Tip width: 1.5 mm Epoxy coated Inox 12 cm

No. 11220-21 \$31.00

Dumont AA

Dumont AA Epoxy Coated

Slip-proof acid and electric shock resistant epoxy coating covering 17.5 mm from the tips.



The tips are smooth on the inside for a gentle grip. Applying full strength will not separate tips and a strong hold on the smallest specimen is ensured.





For information on Dumont alloys and tip styles, see page 189.





No. 11203-23 \$43.00



No. 11203-25 \$50.00 Biology tip 0.10 x 0.06 mm Dumoxel

No. 11200-33 \$41.00

13.5 cm

0.4 x 0.2 mm lnox 12.5 cm

No. 11210-20 \$33.00



No. 11210-10 \$39.00

Dumont Mini Forceps



 0.12 x 0.07 mm
 0.14 x 0.06 mm
 0.09 x 0.05 mm

 lnox
 lnox
 lnox

 7 cm
 7 cm
 8.2 cm

 Style 3
 Style 4
 Style 5

 Style 3
 Style 4
 Style 5

 No. 11200-10
 No. 11200-12
 No. 11200-14

 \$36.00
 \$38.00
 \$34.00

Fine Forceps Repair Kit

Realign and repair fine forceps with this convenient kit. Bent forceps tips can be restraightened with the chain nose pliers. The sharpening stone has two grooves,1.6 mm and 0.8 mm, to assist in resharpening the forceps tips. O-rings clamp the forceps shut to ensure that both shanks are equally aligned and sharpened. Instrument oil assists in producing a smooth sharp edge. Detailed instructions are included.



Kit includes:

- 1 Sharpening stone for fine forceps with ten 0-rings (No. 29008-22)
- 1 Instrument oil, 50 ml bottle (No. 29055-00)
- 1 Chain nose pliers

No. **29000-00** \$100.00



$\hbox{\bf 0-Rings for Forceps}$

These rubber O-rings fit our forceps and keep them closed with variable degrees of pressure on the tips.

Pkg. of 10 **No. 11200-00** \$3.00





Fine Forceps Mirror Finish

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissue.



Fine Forceps Broad Shanks

Straight forceps with sturdy coarse tips.



Fine Forceps Self-Closing

Ideal for lifting and holding EM grids. Consistent pressure at tips. Correctly tensioned "cross-over" shanks come to a microscopically matched point.







11 cm 11 cm

No. 11412-11 No. 11413-11 \$125.00 \$134.00 0.2 x 0.12 mm 12 cm

No. 11445-12 \$76.00

0.08 x 0.04 mm 11.5 cm

No. 11480-11 \$76.00 0.10 x 0.06 mm 11 cm

No. 11485-11 \$79.00 0.20 x 0.12 mm 11.5 cm

No. 11487-11 \$86.00

These forceps have the most finely executed points available. They are extremely light, superbly balanced, and have a gentle spring action. The shanks are specially designed with an arch which ensures maximum force to the tips. The tips close flat for 6 mm from the points to give a large holding area. The tips have been expertly finished under magnification.

Moria.





Straight Curved 13 cm 13 cm Moria 9980 Moria 9987 No. 11399-80 No. 11399-87 \$233.00 \$238.00

Delicate Moria Forceps

Balanced with gentle spring action and tips that are perfectly matched.





10 cm





Microserrated Moria MC32 No. 11370-32 \$212.00

Microserrated Moria MC31 No. 11370-31 \$212.00

SuperGrip Forceps

The tips are processed with MicroCrystals®, a method developed by S&T® to infuse tungsten carbide on stainless steel. The formation of this ultra-fine coating guarantees atraumatic handling of tissue while improving the grip dramatically. The recommended use is where forceps are utilized as needle holders or when slippery tissues might be encountered.



0.3 x 0.25 mm

11 cm

The gripping surface is similar to a match head.





0.3 x 0.25 mm 11 cm



Straight

No. 00632-11 \$295.00



Angled 45°

No. 00649-11 \$303.00



Straight

No. 00108-11 \$270.00



Angled 45°

No. 00109-11 \$295.00

Bonn

The 1x2 forceps are the finest of their kind available.





Mirror Finish Suture Tying Forceps

A unique tip style fusing a suture tying platform and a 1x2 teeth tip for tissue manipulation.





20x magnification



Smooth Tip width: 0.3 mm Tip platform: 5 mm 7 cm

No. 11083-07 \$298.00



1x2 teeth Tip width: 0.45 mm Teeth width: 0.1 mm 7 cm

No. 11084-07 \$347.00



Angled 45° Tip width: 0.4 mm Platform 9 cm

No. 11063-07 \$163.00



20x magnification



Straight Tip width: 0.3 mm Platform with 1x2 teeth 9 cm

No. 11090-09 \$300.00

Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.



Suture Tying Forceps

The platform tips close flat. This ensures a reliable grip on sutures.



Round Handled Suture Tying Forceps

Round handles allow easy fingertip adjustments.





Tip diameter: 0.3 mm Tying platform: 6 mm 13.5 cm

No. 00272-13 \$310.00



Tip diameter: 0.5 mm Tying platform: 5 mm 10 cm

No. 18025-10 \$151.00



Tip diameter: 0.35 mm Tying platform: 5.5 mm 10.5 cm

No. 18026-10 \$286.00

Vial Forceps

Tips taper for 6 cm allowing easy access to specimens in vials.





/ ↓ ↓ Tip diameter: 0.5 mm 15 cm

No. 11006-15 \$192.00

Vetro Grasping Forceps





Serrated Tip diameter: 0.7 mm 14 cm

No. 11900-14 \$939.00



Tip width: 0.6 mm 7 cm



Straight Serrated





Straight 1x2 teeth

No. 11066-07 \$84.00



Curved Serrated

No. 11065-07 \$82.00



Curved 1x2 teeth

No. 11067-07 \$87.00

Bishop-Harman

Extra light, fenestrated handles ensure a good grip.



Tip width: 0.5 mm 8.5 cm



Serrated

No. 11069-08 \$180.00



1x2 teeth

No. 11070-08 \$190.00



Octagon Forceps

The octagon shaped grip provides a particularly secure finger hold.



Tip width: 0.8 mm 9.5 cm



Straight Serrated

No. **11040-08** \$144.00



Curved Serrated

No. 11041-08 \$151.00



Straight 1x2 teeth

No. 11042-08 \$162.00



Curved 1x2 teeth

No. 11043-08 \$166.00

Extra Fine Graefe Forceps




Tip width: 0.5 mm 10 cm

1x2 teeth

\$77.00

No. 11154-10






1x2 teeth


\$77.00

No. 11155-10









Serrated

Tip width: 0.8 mm

No. 11052-10



1x2 teeth

\$71.00

No. 11153-10

1x2 teeth

\$70.00

Tip width: 0.8 mm

No. 11053-10


The tips of these forceps arch toward each other, closing flat. Exceptional gripping power is possible with minimal damage to tissue. A limit pin prevents excessive applied pressure.

Pierse Fixation Forceps

For exceptional gripping power with no damage to sclera, vascular sheath and epineurium.









Tip thickness: 0.2 mm 10 cm

No. 11071-10 \$137.00

Slide lock Smooth Tip width: 1 mm 11 cm

No. 11062-10 \$134.00

Straight 0.1 x 0.4 mm 13 cm

No. 18155-13 \$149.00

Plastic Forceps

These forceps are non-magnetic, acid resistant and able to withstand temperatures up to 240°C (464°F). Tips do not spread under pressure.

Cross Action Forceps

These tissue transport forceps have a gentle action.

Cover Glass Forceps



Acetyl 11.5 cm Pkg. of 10 forceps



Sharp straight 0.40 x 0.25 mm

No. 11700-00



Blunt straight 1.5 x 0.40 mm

No. 11700-00 \$23.00





Sharp curved 0.30 x 0.20 mm

No. 11700-01 \$23.00



Blunt curved 1.5 x 0.40 mm

No. 11700-04 \$23.00




Cross serrated Tip width: 4 mm Tip depth: 8 mm 10 cm

No. 11075-00 \$72.00



10.5 cm



Straight

Angled

No. 11074-02 \$33.00

No. 11073-10 \$46.00



Sharp 45° 0.30 x 0.20 mm

No. 11700-02 \$23.00

Ring Forceps

For transport of tissue and organs. With limit screw to prevent excessive applied pressure.



Circle Forceps

Cupped forceps for atraumatic gripping of organs and tissues.



Live Insect Handling Forceps

Very delicate.





ID: 1 mm OD: 1.5 mm 8.5 cm

No. 11101-09 \$83.00

ID: 2.2 mm OD: 3 mm 9 cm

No. 11103-09 \$75.00

ID: 4.8 mm OD: 6 mm 9 cm

No. 11106-09 \$75.00

Tip diameter: 0.7 mm 11.5 cm

No. 11072-11 \$40.00

Narrow 10 cm Wide 10 cm

No. 26029-10 \$29.00

No. **26030-10** \$27.00

Micro-Adson

Our most delicate version of the popular Adson forceps.



Tip width: 0.8 mm 12 cm



No. 11018-12

\$51.00



0.8 mm

No. 11019-12 \$55.00

Micro-Adson with Fenestrated Handle

Our delicate Micro-Adson forceps, with five windows to aid in stability and easy finger adjustments.



12 cm




Serrated Tip width: 0.8 mm

\$60.00

No. 11020-12



Tip width: 0.5 mm No. 11032-12 \$95.00



Tip width: 0.8 mm No. 11022-12 \$65.00

Adson

Wide, strong grip with narrow tips.



Tip width: 1.5 mm 12 cm



Serrated

No. 11006-12 \$33.00



1x2 teeth

No. 11027-12 \$39.00



Cross serrated tungsten carbide inlaid tip

No. 11506-12 \$149.00



For more information see page 183.

Adson DeBakey







Atraumatic DeBakey Serrations

This tooth pattern, as shown, consists of one row of atraumatic teeth meshed with two opposite rows of atraumatic teeth.

These two forceps are ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures.

Adson-Graefe



Adson-Brown





DeBakey serrations Tip width: 1.5 mm 12.5 cm

No. 11617-12 \$152.00



DeBakey serrations Tip width: 1.5 mm 15 cm

No. 11616-15 \$153.00



Fine sharp teeth Tip width: 4.5 mm 12.5 cm

No. 11030-12 \$167.00



Shark teeth Tip width: 1.4 mm 12 cm

No. 11627-12 \$64.00

Semken

Slim pattern with long, narrow shanks and gentle spring action.



Straight Serrated

Tip width (mm)	Length (cm)	Item	Price
1.3	13	No. 11008-13	\$33.00
1.5	15	No. 11008-15	\$34.00
·TITANI	υм·		
1.5	15	No. 11608-15	\$124.00



Serrated

Tip width (mm)	Length (cm)	Item	Price
1.3	13	No. 11009-13	\$37.00
1.5	15	No. 11009-15	\$42.00

For more information ·TITANIUM·

Narrow Pattern

Lighter spring action than standard pattern for grasping more delicate tissue.



Serrated

Tip width (mm)	Length (cm)	Item	Price
2	12	No. 11002-12	\$24.00
2.15	13	No. 11002-13	\$25.00
2.25	14.5	No. 11002-14	\$27.00
2.35	16	No. 11002-16	\$31.00
2.4	18	No. 11002-18	\$41.00
2.75	20	No. 11002-20	\$46.00
3.2	25	No. 11002-25	\$59.00

IIIA	110111		
2.25	14.5	No. 11602-14	\$109.00



Curved Serrated

Tip width (mm)	Length (cm)	Item	Price
2	12	No. 11003-12	\$27.00
2.15	13	No. 11003-13	\$28.00
2.25	14.5	No. 11003-14	\$29.00
2.35	16	No. 11003-16	\$33.00
2.4	18	No. 11003-18	\$46.00
2.75	20	No. 11003-20	\$50.00

Standard Pattern

Broad pattern with strong spring action.



Tip width (mm)	Length (cm)	Item	Price
2.5	12	No. 11000-12	\$20.00
2.8	13	No. 11000-13	\$22.00
3.25	14.5	No. 11000-14	\$23.00
3.3	16	No. 11000-16	\$26.00
3.7	18	No. 11000-18	\$33.00
3.75	20	No. 11000-20	\$38.00
3.9	25	No. 11000-25	\$48.00
4	30	No. 11000-30	\$56.00



Tip width (mm)	Length (cm)	Item	Price
2.5	12	No. 11001-12	\$24.00
2.8	13	No. 11001-13	\$25.00
3.25	14.5	No. 11001-14	\$26.00
3.3	16	No. 11001-16	\$31.00
3.7	18	No. 11001-18	\$38.00
3.75	20	No. 11001-20	\$42.00

Mouse Handling Forceps

Long handles make picking up small rodents easy and help prevent bites.



Forceps with serrated silicone tips Gripping surface: 15 x 20 mm 21 cm

No. 11036-20 \$49.00





Replacement silicone tips

Pkg of 2 tips No. 11036-90 \$20.00

F-S-T









Used with rongeur No. 16021-14 (page 36) in laminectomy to securely

3 mm

hold spinal column.

Slim 1x2 teeth

10 cm 14.5 cm No. 11023-10 No. 11023-14 \$28.00 \$30.00 12 cm 15.5 cm No. 11023-12

No. 11023-15 \$33.00

1x2 teeth

12 cm No. 11021-12 \$22.00 14.5 cm No. 11021-14

15.5 cm No. 11021-15 \$26.00

\$23.00

2x3 teeth

14.5 cm No. 11022-14 \$30.00

15.5 cm No. 11022-15 \$36.00

1x2 teeth

14 cm No. 11029-14 \$32.00

\$29.00

Gillies





Serrated 1x2 teeth 15 cm

No. 11028-15 \$61.00

Russian

Special cupped pattern for superior grip.





15 cm

No. 11026-15 \$58.00

Organ Holding Forceps

With limit screw to prevent excessive applied pressure.





Serrated 14.5 cm

No. 11031-15 \$187.00


London Forceps Titanium Forceps Gerald Forceps ·TITANIUM· For more information see page 183. F.S.T 11014-18 Straight Straight Curved Angled Serrated Serrated Serrated Serrated 16 cm 16 cm 18 cm 18 cm No. 11080-02 No. 11602-16 No. 11014-18 No. 11015-18 \$29.00 \$114.00 \$56.00 \$63.00

Taylor Forceps Potts-Smith Forceps Serrated and smooth versions available. Straight Curved Straight Curved Serrated Serrated Serrated Serrated 17 cm 17 cm 18 cm 18 cm No. 11010-17 No. 11011-17 No. 11012-18 No. 11013-18 \$48.00 \$51.00 \$36.00 \$48.00 21 cm 21 cm No. 11012-21 No. 11013-21 \$43.00 \$57.00 25 cm No. 11012-25 \$55.00 Straight Curved Straight Curved 1x2 teeth Smooth Smooth 1x2 teeth 17 cm 18 cm 18 cm 17 cm No. 11016-17 No. 11017-17 No. 11024-18 No. 11025-18 \$47.00 \$50.00 \$47.00 \$51.00

Ultra Fine Hemostat



Tip width: 0.6 mm Smooth 12 cm





No. 13021-12 \$114.00

Fine Hemostat



Tip width: 1 mm Smooth 12 cm





Straight

No. 13006-12 \$119.00

No. 13007-12 \$88.00

Micro-Mosquito



Tip width: 1.3 mm Serrated 12 cm



No. 13010-12 \$102.00



No. 13011-12 \$105.00



No. 13012-12 \$117.00

Halsted-Mosquito



Tip width: 1.1 mm Serrated 12.5 cm



No. 13008-12 \$50.00



No. 13009-12 \$53.00



Serrated

Tip width: 1 mm



No. 13108-12

Curved

\$114.00

Crile





Straight

No. 13004-14 \$50.00



Curved

No. 13005-14 \$55.00





Tip width: 1.5 mm Serrated 14 cm



Straight

No. 13018-14 \$55.00



 ${\it Curved}$

No. 13019-14 \$58.00

Baby-Mixter



Tip width: 1.3 mm Serrated 14 cm



Curved

No. 13013-14 \$85.00

Providence-Hospital



Tip width: 1.5 mm Serrated 14 cm



Straight

No. 13014-14 \$59.00



Curved

No. 13015-14 \$62.00

Hartman



Backhaus Towel Forceps



Tip width: 1 mm Serrated 10 cm



\$55.00

No. 13002-10



Curved No. 13003-10

\$57.00





\$50.00



13 cm

No. 11095-13 \$55.00

Allis Forceps

Tissue and organ holding forceps.



(₹)] 3 mm


5x6 teeth Tip width: 4 mm 15 cm

4x5 teeth Tip width: 3 mm

12 cm


Allis No. 11091-15 \$83.00

Allis-Baby No. 11092-12 \$79.00



Probes, Needle Holders, Wound Closure, Retractors & Clamps

Probes & Hooks 99 - 103 **Pages** Spatulae 102 - 105 **Pages** 106 – 107 Pins & Holders Pages **Spoons** Page 108 **Featured Products** 109 Page **Wound Closure** 110 – 121 Pages Retractors Pages 122 – 129 Vascular Instruments Pages 130 - 139



Double Pronged Pick

For peritoneum, pleura, endocardium, organ capsules and skin. Grasps and lifts skin, tissue and dura, etc.

The tip consists of two very sharp, nearly horizontally opposed points. By applying gentle downward pressure and twisting slightly in a clockwise fashion, the points will embed themselves horizontally into fine membranes or skin, etc., so that it may be lifted upward. This instrument also has been used successfully when separating fine tissue from an underlying area that is not to be cut.




11 cm

No. 18067-11 \$147.00

Spinal Cord Hook





Shaped like a ligation aid and sized to isolate the spinal cord from the dura of adult mice and neonatal rats. The cord can then be cut with minimal damage to the dura.



Tip diameter: 3 mm 12 cm

No. 10162-12 \$98.00

Bonn Micro Probes

Length: 13.5 cm



Actual size

Straight

Tip diameter: 0.025 mm

No. 10030-13 \$77.00



Magnification size

Angled 45°

Tip diameter: 0.025 mm

No. 10032-13 \$79.00



Actual size

Curved

Tip diameter: 0.025 mm

No. 10031-13 \$82.00



Actual size

Large curve

Tip diameter: 0.038 mm

No. 10033-13 \$82.00

Micro Points

Length: 15.5 cm



200%

Angled 90° short Tip diameter: 0.05 mm

No. 10063-15 \$99.00



200%

Angled 90°

Tip diameter: 0.02 mm

No. 10065-15 \$94.00



200%

Angled 45°

Tip diameter: 0.038 mm

No. 10066-15 \$94.00

Probes and Explorers

Micro Hooks

Length: 15.5 cm



Actual size

Straight

Tip diameter: 0.25 mm

No. 10140-01 \$12.00





Actual size

Short angle

Tip diameter: 0.12 mm

No. 10140-04 \$13.00



Actual size

Angled

Tip diameter: 0.15 mm

No. 10140-02 \$13.00



Actual size

Long angled Tip diameter: 0.15 mm

No. 10140-03 \$13.00



Short round hook Tip diameter: 0.05 mm Length: 13 cm

175%

No. 10064-14 \$99.00



175%

Sharp hook Tip diameter: 0.075 mm Length: 12 cm

No. 10061-12 \$79.00




175%

Blunt hook Tip diameter: 0.30 mm Length: 12 cm

No. 10062-12 \$79.00

Titanium Micro Point, Y-Hook, and Spatula

These instruments are lightweight, color coded for easy identification, have an ergonomic design and a non-reflective surface.





Micro Spatula **Mirror Finish Double-Ended** Iris Spatulae Micro Spatula Micro Spatula Mirror finished to provide a non-stick spatula. Tip width: 1 mm Tip width: 0.8 mm Tip width: 3 mm Tip width: 1.7 mm Tip width: 1.8 mm Tip width: 2 mm Tip thickness: 0.25 mm Tip thickness: 0.25 mm Tip thickness: 0.3 mm Tip thickness: 0.4 mm Tip thickness: 0.3 mm Tip thickness: 0.3 mm 11 cm 12 cm 13 cm 13 cm 13 cm 12 cm No. 10089-11 No. 10087-12 No. 10091-12 No. 10094-13 No. 10093-13 No. 10092-12

\$174.00

\$96.00

\$75.00

\$76.00

\$159.00

\$80.00

Mini Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.



14.5 cm

No. 10099-12 \$205.00

Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.



16 cm

No. 10099-15 \$67.00

Pin Holder


Light weight.



Nickel-plated chuck Aluminum handle Jaw opening: 0–1 mm 17 cm

No. 26018-17 \$26.00

Pin Holder





Nickel-plated Jaw opening: 0–1 mm 12 cm

No. 26016-12 \$41.00

Self Holding Pin and Bone Screw Forceps

Designed with a serrated tip and grooved cup for a stable and secure grip, these forceps hold pins and screws allowing precise placement at your target area. They are compatible with all Fine Science Tools insect pins, minutien pins and bone screws.




Polished stainless steel 14 cm

No. 26100-00 \$124.00

Insert Pins

All insert pins fit any of our pin holders. Pins are antimagnetic and acid resistant.

Stainless steel 5 cm \$6.00



Black Anodized Minutien Pins

These high quality pins are black for best visibility under high magnification and bright light.

Tip diameter: 0.0175 mm Rod diameter: 0.15 mm

10 mm

Box of 500 pins No. 26002-15 \$38.00



Stainless Steel Minutien Pins

The thinnest and finest pins available.

Tip diameter: 0.0125 mm Rod diameter: 0.1 mm 10 mm

Box of 500 pins No. 26002-10 \$33.00

MOST POPULAR

Tip diameter: 0.02 mm Rod diameter: 0.2 mm 10 mm

Box of 500 pins No. 26002-20 \$33.00

Length 5.5 cm **Black Anodized Insect Pins** Length 4 cm Nylon heads Tip diameter: 0.03 mm Pkg. of 100 pins \$15.00 Size 000 00 0 1 2 3 5 6 7 Rod diameter (mm) .25 .50 .30 .35 .40 .45 .55 .60 .65 .70 No. 26000 -25 -30 -35 -40 -45 -50 -55 -60 -65 -70

Stainless Steel Insect Pins

Nvlon heads


Tip diameter: 0.03 mm

Pkg. of 100 pins \$20.00

Size	000	00	0	1	2	3	4	5	6	7
Rod diameter (mm)	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70
No. 26001	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70

Etched Tungsten Micro Needles

These tungsten micro needles are drawn to a 1 micron tip and three different rod diameters are offered. Each provides lateral stability as well as minimal spring action during manipulation. The micro needles can be used with our pin holders shown on page 106.



Tip diameter: 1 µm (0.001 mm)

12 mm

Box of 10 needles

Rod diameter (mm)	Item	Price
0.125	No. 10130-05	\$146.00
0.25	No. 10130-10	\$146.00
0.5	No. 10130-20	\$146.00

Spoon

Mini Perforated Spoon Most commonly used to take

embryos out of solution and

handling very small organs.

Most commonly used to take embryos out of solution and handling very small organs.

Perforated Spoon

Mirror Finish Cutting Spoon

Non stick cutting spoon.









Perforations are 0.8 mm in diameter.

Diameter: 8 mm Depth: 1 mm 10 cm

Moria MC 17C No. 10370-19 \$214.00

Perforations are 0.9 mm in diameter.



Diameter: 15 mm Depth: 3 mm 14.5 cm

Moria MC 17 BIS No. 10370-18 \$258.00

Diameter: 20 mm Depth: 5 mm 14.5 cm

Moria MC 17 No. 10370-17 \$205.00

Diameter: 4.5 mm Depth: 0.15 mm 13 cm

No. 10360-13 \$123.00


Diameter: 8 mm Depth: 2 mm 12.5 cm

Moria 1121B No. 10321-08 \$240.00



Featured Products Online

Our Featured Products are available in limited quantities, for a limited time while supplies last. Please visit our website, **finescience.ca** for updates on what's new and currently available.



Castroviejo

Micro pattern, with slightly blunted tips.



Needle Holder with Suture Cutter



Cautionary note:

Never use a micro needle holder with needles that are too thick, as this can easily damage the fine jaws. Use only micro needles of less than 0.2 mm diameter (see page 116).

Round Handled Needle Holder

Round handles allow easy fingertip adjustments.





Straight 9 cm

With lock No. 12060-01 \$330.00

Without lock No. 12060-02 \$306.00



Curved 9 cm

With lock **No. 12061-01** \$330.00

Without lock No. 12061-02 \$308.00



Curved Cutting edge: 3.5 mm 14 cm

Without lock No. 12075-14 \$688.00



Straight 12.5 cm

With lock **No. 12075-12** \$403.00

Without lock **No. 12076-12** \$358.00

Mathieu

Extra slim and narrow profile, with squeeze-lock. Facilitates excellent wrist motion for suturing.





14 cm

With lock No. 12010-14 \$157.00



With tungsten carbide jaws 14 cm

With lock **No. 12510-14** \$257.00



For more information

see page 183.

Castroviejo with Tungsten Carbide Jaws





With tungsten carbide jaws 14 cm

With lock No. 12565-14 \$411.00

Halsey

Halsey with Tungsten Carbide Jaws







Smooth 13 cm

No. 12001-13 \$74.00



With tungsten carbide jaws 13 cm

No. 12501-13 \$171.00

TUNGSTEN
CARBIDE
For more information see page 183.



With tungsten carbide jaws 12.5 cm

No. 12500-12 \$195.00

Olsen-Hegar with Suture Cutter



10 mm cutting edge 1.5 mm jaw surface 12 cm



No. 12002-12 \$183.00



No. 12102-12 \$193.00

Olsen-Hegar with Suture Cutter and Tungsten Carbide Jaws





15 mm cutting edge 2 mm jaw surface 14 cm

No. 12002-14 \$186.00



With tungsten carbide jaws 10 mm cutting edge 1.5 mm jaw surface 12 cm

No. 12502-12 \$233.00




No. 12512-12 \$260.00



With tungsten carbide jaws 15 mm cutting edge 2 mm jaw surface 14 cm

No. 12502-14 \$238.00



Slim Elongated Needle Holder with Tungsten Carbide Jaws

TUNGSTEN CARBIDE For more information see page 183.

Side View



With tungsten carbide jaws 15 cm

No. 12005-15 \$244.00

Ryder Mini-Select Needle Holder

This needle holder has been uniquely fashioned with tungsten carbide dust tips, giving the clamping platform an extra secure grip.





With tungsten carbide dust tips 15 cm

No. 12505-15 \$238.00

Microsurgical Needles with Suture Thread Attached

The combination of proprietary needle design technology and state-of-the-art manufacturing techniques has enabled S&T to provide a microsurgical needle that is unmatched in the industry. S&T microsurgical needles provide frictionless tissue penetration. They are inspected under the microscope at critical stages during the manufacturing process, and a multi-point final inspection of each suture and needle combination ensures a high quality product. The suture-to-needle attachment is tested to higher standards than the USP specifications.

Features:


- Needle and thread combination comprising of nonabsorbable black nylon polyamide monofilament thread and stainless steel 3/8 circle needle. Nylon is suitable for closing ophthalmic, neurological and microvascular wounds.
- 3/8 circle precision taper point. Stainless steel needle honed under microscope by hand. Superfine round tip with flattened body to improve stability in needle holder

Easy penetration. Precise stitch placement.


- Grinding geometry and suture needle attachment are directed toward frictionless tissue penetration.
- Each needle suture combination is individually packed and sealed in a peel-open blister pack.

Sterile

Pkg. of 12 disposable units



Standard taper point needle



$S\&T^{\circ}$

Suture size	Suture length (cm)	Needle diameter (micron)	Needle diameter (mm)	Needle chord length (mm)	Circle	Arch (mm)	Item	Price
11/0	10	50	0.05	3	3/8	3.8	No. 12051-11	\$635.00
10/0	10	70	0.07	3	3/8	3.8	No. 12051-10	\$445.00
9/0	15	100	0.1	4	3/8	5.1	No. 12051-09	\$310.00
8/0	15	140	0.14	5	3/8	6.4	No. 12051-08	\$260.00


No. 12051-08

Suture Needles

Polished stainless steel 3/8 curved Round with standard eye Diameter 0.35 mm



Pkg. of 12 needles



Size	Item	Price
00	No. 12050-20	\$26.00
0	No. 12050-10	\$26.00
1	No. 12050-01	\$26.00
2	No. 12050-02	\$26.00
3	No. 12050-03	\$26.00

Silk Suture

Silk suture has a smooth flow through tissue while maintaining knot security.

Braided silk

Non-sterile



Size	Diameter (mm)	Spool length (m)	Item	Price
7/0	0.05	91	No. 18020-70	\$97.00
6/0	0.08	23	No. 18020-60	\$40.00
5/0	0.12	23	No. 18020-50	\$40.00
4/0	0.17	23	No. 18020-40	\$36.00
3/0	0.22	23	No. 18020-30	\$36.00
2/0	0.32	23	No. 18020-20	\$41.00
0	0.37	23	No. 18020-00	\$51.00
1	0.45	23	No. 18020-01	\$51.00
2	0.55	23	No. 18020-02	\$74.00
3	0.65	23	No. 18020-03	\$80.00

For Suture Tying Forceps, see pages 76 and 77.

Nylon Monofilament Suture

Nylon is known for its uniform diameter flexibility and outstanding consistent knot security.

Nylon monofilament

Non-sterile




Size	Diameter (mm)	Spool length (m)	Item	Price
8/0	0.04	91	No. 18030-80	\$132.00
7/0	0.05	91	No. 18030-70	\$109.00
6/0	0.07	91	No. 18030-60	\$125.00
5/0	0.10	91	No. 18030-50	\$127.00
4/0	0.15	91	No. 18030-40	\$128.00
3/0	0.20	91	No. 18030-30	\$130.00

Suturing Principles and Techniques in Laboratory Animals

Introduces the basic principles, materials and surgical instruments required for suturing and wound closure used on animals. The manual provides descriptions and pictures portraying proper tissue handling and aseptic technique, correct hand placement and use of surgical instruments, proper needle placement on needle holders, and provides an in-depth explanation of various suture patterns and associated principles for proper knot tying during wound closure.

The DVD provides descriptive narrative and step-by-step video demonstrations for each of the suturing techniques.

Manual and DVD



Includes: Fine Science Tools Item Number Reference Page for all surgical instruments used in the manual.


No. **23005-10** \$111.00

Michel Suture Clips

Anti-magnetic, acid-resistant stainless steel Pkg. of 1,000 clips

Size (mm)	Item	Price
7.5 x 1.75	No. 12040-01	\$92.00
11 x 2	No. 12040-02	\$92.00
12 x 2.5	No. 12040-03	\$92.00

Larger clip sizes also available.



Applying Forceps



For all Michel suture clips 12.5 cm

No. 12018-12 \$50.00

Applying and Removing Instruments



For clip sizes 12040-02 and larger Curved 13 cm

No. 12028-12 \$99.00




For clip size 12040-01 only Angled 13 cm

No. 12029-12 \$150.00

Reloadable Skin Stapler with Rotating Head

The 360° degree swivel nose and unique design offers maximum visibility at the delivery point. The stainless steel staples are non-sterile and feature the patented "Twin Towers" staple design which make for quick and easy removal. The disposable staple cartridge includes a printed staple counter. The handle is reusable and autoclavable. Staples are non-sterile. Components sold separately or as a kit.





Surgical staple kit

- 1 Handle
- 1 Remover
- 12 Disposable staple cartridges

No. 12030-20 \$235.00


Single disposable cartridge 35 staples per cartridge No. 12030-22 \$21.00

12 disposable cartridges 35 staples per cartridge No. 12030-23 \$220.00

Handle No. 12030-01 \$27.00

Surgical Staple Remover

Compatible with Reloadable Skin Stapler with Rotating Head and Manipler® Skin Stapler.




10 cm **No. 12030-04** \$10.00

Manipler® Skin Stapler

Quality, slim, lightweight design with consistent actuation and staple count indicator. **Disposable, sterile, and not autoclayable.**

15 cm 35 staples per cartridge No. 12035-00 \$23.00





AutoClip® System

The AutoClip® System is a safe, secure method of wound closure. Faster and easier than suture, this system is perfect when staples may be too thin to provide adequate closure. **Non-sterile and not autoclavable. Components sold separately or as a kit.**









Remover

AutoClip® Kit

- 1 Applier
- 9 mm clips (100)
- 1 Remover
- Storage case

No. 12020-00

\$369.00

AutoClip® applier 11.5 cm

11.0 0111

No. 12020-09 \$244.00

AutoClip® 9 mm clips Pkg. of 100 clips

No. 12022-09 \$32.00

AutoClip® remover 12.5 cm

No. 12023-00 \$137.00



Slide Retractor with Blades





Maximum spread: 1 cm Atraumatic blades 2 cm

No. 17004-03 \$167.00

Mini-Goldstein





Maximum spread: 0.5 cm 3x3 Sharp teeth 2 cm

No. 17002-02 \$186.00

Mini-Colibri





Maximum spread: 1 cm 2 cm

No. 17000-01 \$41.00

Slide Retractor with Teeth





Maximum spread: 1 cm 2x2 Blunt teeth 2 cm

No. 17005-03 \$167.00

Goldstein





Maximum spread: 1.8 cm 3x3 Sharp teeth 3 cm

No. 17003-03 \$120.00

Colibri







Maximum spread: 1.2 cm

Maximum spread: 1.5 cm

3 cm **No. 17000-03** \$25.00



3 cm **No. 17000-02** \$27.00

4 cm **No. 17000-04** \$25.00

Fine Adjustable Wire Retractor



Agricola



Speculum





Maximum spread: 3.5 cm Thin, curved blades 5 cm

No. 17004-05 \$222.00 Maximum spread: 3.5 cm 3x3 Sharp teeth 4 cm

No. 17005-04 \$139.00



Maximum spread: 3.5 cm Thin, curved blades and grooved finger grips 4.5 cm

Moria 7699 **No. 17370-53** \$93.00

Alm Retractor with Wire Teeth



Alm Retractor with Blunt Teeth



Alm Retractor with Blades



Maximum spread: 4 cm Arms gently curved down 7 cm



Maximum spread: 4 cm Arms gently curved down 7 cm

No. 17010-07 \$188.00



Blunt teeth **No. 17008-07** \$119.00



Long blunt teeth No. 17009-07 \$176.00



Maximum spread: 4.5 cm Arms gently curved down Thin, curved blades 7.5 cm


No. 17009-08 \$175.00

Spring-Loaded Retractor



Curved atraumatic blades

Bowman



Maximum spread: 3 cm Blade dimensions: 14 x 10 mm 5.5 cm

No. 17006-05 \$56.00

Maximum spread: 4 cm Blade dimensions: 22 x 16 mm 8 cm

No. 17007-08 \$57.00

Maximum spread: 2.5 cm 8 cm

No. 17001-07 \$25.00



Heiss



Gelpi



1 mm H 3.3 mm

Maximum spread: 2.3 cm 4x4 Blunt teeth 10 cm

No. 17011-10 \$132.00 Maximum spread: 3 cm Angled down 1x1 Sharp teeth 10 cm

No. 17017-10 \$240.00

Weitlaner-Locktite






Maximum spread: 4.5 cm 2x3 Blunt teeth 11 cm No. 17012-11 \$215.00

Maximum spread: 6.5 cm 3x4 Blunt teeth 13 cm **No. 17012-13** \$232.00


Wullstein





Maximum spread: 4.5 cm Angled down 3x3 Blunt teeth 11 cm

No. 17018-11 \$306.00



Magnetic Fixator Retraction System

This Small Animal Retraction System simplifies set-up procedure and provides the examiner with an excellent overview of the operative site. It consists of three components: Base Plate (Nos. 18200-03 & 18200-04); Fixators (Nos. 18200-01 & 18200-02); and Retractors (Nos. 18200-05 through 18200-12).

The Base Plates are made from magnetic stainless steel and are available in two sizes. The surface is nonreflective and both plates have a window in the center which allows the animal contact with body temperature control systems. The window sizes are 10 x 13 cm for the small base plate and 15 x 25 cm for the large.

The Fixators are movable anchors made from anodized aluminum with a surgical grade rare earth magnet in the base for attachment anywhere on the Base Plate. The magnets do not interfere with lab electronics and can be used in close proximity (3 cm) to ferro-magnetic items. They incorporate pushbutton-activated spring locks that grip either the Wire or Elastomer Retractors.

The Retractors are interchangeable Retractor Tips (Nos. 18200-08 through 18200-12) which attach to either Retractor Wire (Nos. 18200-05 & 18200-06) for static retraction or to Elastomer (No. 18200-07) for dynamic retraction. The Retractor Tips are light and atraumatic to delicate tissue or membrane.

All system components are autoclavable.

Kit for animals up to 200 g

Includes:

• 1 Small base plate (No. 18200-03)

- 2 Short fixators (No. 18200-01)
- 1 Tall fixator (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 1 mm wide (No. 18200-09)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)

No substitutions

No. 18200-20 \$345.00

Kit for animals from 200 g up to 5 kg

Includes:

1 Large base plate (No. 18200-04)

- 2 Short fixators (No. 18200-01)
- 2 Tall fixators (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- · 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)
- 1 Package of retractors, blunt, 5 mm wide (No. 18200-11)

No substitutions

No. 18200-50 \$425.00

Individual parts:

Short fixator, 2.5 cm high

Each No. 18200-01 \$78.00

Tall fixator, 5 cm high

Each

No. 18200-02 \$86.00

Small base plate, (20 x 30 cm)

Each

No. 18200-03 \$81.00

Large base plate, (25 x 35 cm)

Each

No. 18200-04 \$89.00

Wire handles, 10 cm long

Pkg. of 10 No. 18200-05 \$31.00

Wire handles, 14 cm long Pkg. of 10

No. 18200-06 \$34.00

Elastomer, 2 m roll No. 18200-07 \$29.00

Sharp retractors Pkg. of 10

No. 18200-08 \$40.00

Blunt retractors, 1 mm wide Pkg. of 10 No. 18200-09

\$40.00

Blunt retractors, 2.5 mm wide Pkg. of 10

No. 18200-10 \$40.00

Blunt retractors, 5 mm wide

Pkg. of 10 No. 18200-11 \$40.00

Blunt retractors, 7.5 mm wide


Pkg. of 10 No. 18200-12 \$40.00


Clamp Size and Clamp Pressure

Clamp pressure is determined by the closing force of the clamp (in grams), divided by the area of the vessel wall that is compressed between the jaws (in square millimeters). Thus, the smaller the vessel, the higher the pressure exerted.

Despite the wide range of closing forces, the pressure exerted by each clamp, big or small, remains consistent throughout the series. Each size of clamp exerts a pressure of 5g/mm² when used on the largest vessel in its range, and 15g/mm² when used on the smallest vessel. Even at the higher range, S&T's micro clamps have the gentlest working pressure of any small vessel clamp available.

Clamp (ea)	L x W (mm)	Vessel Diameter Range (mm)
00396-01 & 18040-11	3.5 x 1.0	0.4 - 1.0 • •
00398-02 & 18040-22	5.5 x 1.5	0.6 - 1.5 • •
00400-03 & 18040-33	7.5 x 1.75	1.0 - 2.25 。 〇
00325-00	10 x 2.15	2.0 - 5.0 O





See page 131 for Micro Clamp and Double Clamp Appliers.

Micro Clamps





S&T B-1 No. 00396-01 \$93.00



S&T B-2 No. 00398-02 \$84.00



S&T B-3 No. 00400-03 \$84.00



S&T HD-S **No. 00325-00** \$138.00

Double Micro Clamps

For vascular approximation at anastomosis. These clamps are mounted on a 10 mm sliding bar and can easily be moved by applying gentle force. The distance between the jaws of the clamps is adjustable from 3 to 16 mm.



No. 18040-11 \$410.00



No. 18040-22 \$400.00



No. 18040-33 \$384.00

Micro Clamp Applying Forceps




S&T®

Only compatible with S&T Micro Clamps 14 cm

With lock No. 00071-14 \$215.00

Without lock No. 00072-14 \$140.00

Micro Clamp Applying Forceps



Compatible with S&T Micro Clamps and Double Micro Clamps 14.5 cm

No. 18040-14 \$179.00

Micro Clip Applicator with Lock

For use with our 18055 series micro serrefines 14 cm

No. 18056-14 \$552.00

Forceps Style Clip Applicator

This applicator features special U-shaped side supports for improved seating of the clips.





For use with our 18055 series micro serrefines 14 cm

No. 18057-14 \$84.00

Stainless Steel Micro Serrefines

Used to obtain a clear surgical field for extended arterial cross-clamping.

Delicate atraumatic serrations Spring width: 2 mm



\$74.00

No. 1	8055-01	-02	-03	-04
Jaw length (mm)	10	8	6	4
Jaw width (mm)	2	2	1	0.75
Total length (mm)	19	16	15	13
Jaw pressure (g)	60	85	100	125





\$89.00

	No. 18055-05	-06
Jaw length (mm)	6	4
Jaw width (mm)	1	0.75
Total length (mm)	17	16
Jaw pressure (g)	100	125

Titanium Micro Serrefines

Lightweight with strong clamping pressure.

•TITANIUM•
For more information

see page 183.

Delicate atraumatic serrations

Spring width: 2 mm







\$187.00

No. 18	555-01	-02	-03	-04
Jaw length (mm)	10	8	6	4
Jaw width (mm)	2	2	1	0.75
Total length (mm)	19	16	15	13
Jaw pressure (g)	60	85	100	125

Cautionary note: Micro Serrefines should never be compressed with fingers; use only the appropriate applicator No. 18056-14 or No. 18057-14.

Moria Vessel Clamp

Finely serrated (atraumatic) Light pressure For vessels up to 2 mm in diameter Calibrated to 15g/mm² 1.8 mm wide, 3 cm long Straight 33 mm



Moria 201/A No. 18320-11 \$46.00



Moria Bulldog Type Clamps

Non-serrated Strong pressure 2 mm wide 53 mm



Straight Moria MC43 No. 18374-43 \$130.00



Curved Moria MC44 No. 18374-44 \$130.00



Dietrich Bulldog Clamps

Serrated

Good access to deep seated vessels Closing pressure: 50 g (light) Weight: 3 g



Straight 52.5 mm No. 18038-45 \$213.00



50 mm No. 18039-45 \$215.00

Bulldog Type Serrefines

Serrated

Straight Medium pressure 28 mm



Curved Medium pressure

28 mm No. 18051-28 \$68.00



Straight Strong pressure 35 mm No. 18050-35

\$52.00

Straight Strong pressure 50 mm No. 18050-50 \$50.00



Curved Strong pressure 35 mm No. 18051-35

\$52.00

Curved Strong pressure 50 mm No. 18051-50 \$50.00

Schwartz Micro Serrefines

Non-serrated Strong pressure 26 mm



Light bend No. 18052-02 \$13.00



Sharp bend No. 18052-03 \$13.00

Mini Serrefines

Smallest bulldog-type hemostatic clamps Medium pressure Gentle serrations 2 mm wide 28 mm

Straight No. 18054-28 \$87.00



Curved No. 18053-28 \$87.00



Bulldog Artery Spring Clamp

Can be used with a minimum of distortion for MRI investigations.

Straight Serrated Light pressure 30 mm For more information

see page 183.

·TITANIUM·

No. 18144-30 \$420.00



Silver Neuro Clips

These single-use, silver neuro clips are meant for permanent vessel occlusion.

Pkg. of 100 clips **No. 18040-00** \$76.00

Vascular Occluders

Applications

- Fast, dependable zero-flow baseline determination in blood flow studies.
- · Partial to full occlusion of vessels for circulation research studies.
- Prolonged implantations, such as chronic blood flow studies.
- Constriction of soft organs in acute or chronic applications.

Operation

- Step 1 Apply the occluder cuff around the exposed blood vessel.

 Secure it in place with suture material through the eyelets.
- Step 2 Occlude the vessel to the desired degree by inflating the diaphragm with air or liquid injected into the actuating tube using a syringe and blunt needle. Clamp the tubing to maintain occlusion of the vessel over time.
- Step 3 To deflate, simply withdraw the air or liquid.





The actuating tube length is 90 cm and measures 0.76 mm ID x 1.6 mm OD. Detailed instructions are included.

VO-1.5 N Lumen diameter: 1.5 mm Cuff width: <3.5 mm Cuff thickness: 1.5 mm

No. 18080-01 \$202.00

V0-2

Lumen diameter: 2 mm Cuff width: 5 mm Cuff thickness: 1.5 mm

No. 18080-02 \$202.00

V0-3

Lumen diameter: 3 mm Cuff width: 5 mm Cuff thickness: 1.5 mm


No. 18080-03 \$202.00

Benefits

- Occlusion is accomplished without traction on vessels or surrounding tissues.
- The actuating tube may be exteriorized from the occlusion site for remote actuation.
- Performance during implantations is reliable and consistent.
- Autoclavable or cold sterilized, and easily maintained.
- Made from soft, flexible 100% silicone rubber.
- Fully operational with instant response using air, liquids, or inert gases.

Selection

The lumen diameter when deflated is usually the determining factor in the selection of the proper device. Select the occluder size that provides a slightly loose fit around the subject vessel. The cuff width and thickness will vary, depending on models and sizes.




V-Hook

Aids in feeding fine suture around blood vessels, works very similar to ligation aids.



Ligation Aids

A handy instrument for leading a fine suture under and around a blood vessel for tying-off purposes. Also useful for ligating peripheral nerves. Grooves toward hole help threading.







Tip diameter: 0.4 x 0.2 mm 11 cm

No. 18052-12 \$96.00



150%

Ultrafine Hole diameter: 0.4 mm 10.5 cm

No. 18062-12 \$112.00



Hole diameter: 1 mm 13.5 cm

No. 18062-13 \$77.00



150%



Hole diameter: 1 mm 13.5 cm

No. 18063-13 \$77.00

Vessel Dilators

Highly modified forceps with elongated, parallel tips which are highly polished. Designed for controlled intraluminal vessel dilation.









Angled 10° 12 cm

Tip diameter: 0.1 mm No. 18131-12 \$270.00

Tip diameter: 0.2 mm No. 18132-12 \$267.00

Tip diameter: 0.3 mm No. 18133-12 \$257.00

Angled 10° 11 cm

Tip diameter: 0.1 mm No. 00126-11 \$390.00

Tip diameter: 0.2 mm No. 00125-11 \$360.00

Angled 45° Tip diameter: 0.2 mm 13.5 cm

No. **00276-13** \$380.00



Balanced Instruments

Balanced instruments are designed to put the center of gravity between the thumb and index finger. This is accomplished by adding a slight counter weight to the proximal end of the instruments. The design enhances tactile feel, aiding in better control and precision.

Vessel Dilators

The tips of these multipurpose forceps are configured to enable their use as dilators at the front, as well as needle holders and tying forceps further in the back. The platform at the tips close parallel ensuring a reliable grip.



86% of actual size



Straight
Suture tying platform
Tip diameter: 0.1 mm
14.5 cm

No. 18601-15 \$476.00





86% of actual size



Straight Suture tying platform Tip diameter: 0.3 mm 15 cm

No. 18602-15 \$455.00

Vessel Dilator



86% of actual size



Angled Smooth Tip diameter: 0.2 mm 14.5 cm

No. 18603-14 \$384.00

Micro Cannulation System


This micro cannula is most helpful for quick and easy insertion in arteries and veins. It can be used as an "indwelling" catheter during long term experiments. With care, thorough rinsing and sterilization, it can be reused several times. Detailed instructions are included.



Features

- Biocompatible Teflon® tubing.
- Cannula size 0.33 mm OD 0.16 mm ID
- A pointed stainless steel stylus (trocar), to aid in vascular penetration and allow a maximum range of cannula manipulation during insertion.
- Contoured tip for easy insertion, fitted with shoulder for "tie-in" to prevent accidental removal.
- Female luer connection for linkage to infusion lines.

8 cm **No. 18000-10** \$75.00



Instruments sold separately.

Vessel Cannulation Forceps

These vessel cannulation forceps are useful whenever a fine plastic tube has to be introduced into a small blood vessel of almost equal size. The hollowed jaws hold the tubing securely without deforming it. The tip of the tubing is directed exactly into the vessel opening without damage to the vessel from unwanted movement.









For tubing between 0.5 and 1 mm OD 11 cm

No. 00574-11 \$320.00 For tubing of 0.35 mm OD 11 cm $\,$

No. 11280-11 \$332.00

For tubing of 0.5 mm OD 11 cm

No. 11281-11 \$306.00

For tubing of 1 mm OD

11 cm **No. 11282-11** \$280.00 For tubing of 0.35 mm OD

11.5 cm **No. 18403-11** \$229.00

For tubing of 0.6 mm OD

11.5 cm **No. 18406-11** \$220.00

For tubing of 0.6 mm OD $\,$

13.5 cm **No. 18406-13** \$212.00



Surgical & Laboratory Accessories

Animal Accessories Pages 141 – 143 Instrument Care & Accessories Pages 144 – 155 Surgical Accessories Pages 156 – 159 Laboratory Accessories Pages 160 – 171



Reusable Gavage Feeding Needles

Stainless steel feeding needles with luer lock hub. Also ideal for transcardiac perfusions with a fixative.




Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item	Price
24	25	1.25	Straight	>14 g			No. 18061-24	\$66.00
22	25	1.25	Straight	15-20 g			No. 18061-22	\$60.00
20	30	Barrel	Straight	20-25 g		50-75 g	No. 18060-20	\$37.00
20	38	2.25	Straight	20-25 g		50-75 g	No. 18064-20	\$60.00
20	38	2.25	Curved	20-25 g		50-75 g	No. 18065-20	\$64.00
18	38	2.25	Straight	20-30 g	100-200 g	250-300 g	No. 18061-38	\$60.00
18	50	2.25	Curved	25-30 g	100-200 g	250-300 g	No. 18061-50	\$61.00
16	75	3.00	Curved		150-300 g	350-450 g	No. 18061-75	\$49.00
16	100	3.00	Curved		150-300 g	350-450 g	No. 18061-10	\$47.00

Single Use Gavage Feeding Needles

These economical feeding needles feature plastic luer hubs with silicone tips. They are nontoxic and nonpyrogenic. Needles can be easily formed to any desired shape. **Sterile.**





Pkg. of 5 needles

Gauge	Length (mm)	Tip diameter (mm)	Shape	Mice	Rats	Guinea pigs	Item	Price
20	38	1.75	Flexible	20-25 g	50-75 g		No. 18061-20	\$38.00
18	50	2.50	Flexible	25-30 g	100-200 g		No. 18061-18	\$38.00
15	75	3.00	Flexible		200-350 g	400-600 g	No. 18061-15	\$38.00

GenoPunch

The interchangeable GenoPunch aids in the fast and simple collection of the 2 mm tissue sample for DNA analysis and/or genotyping. FST Exclusive Item. **Autoclavable.**



80% of actual size



Stainless steel and anodized aluminum Punch diameter: 2 mm 11.5 cm

No. 24215-02 \$119.00

Ear Punch

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand. FST Exclusive Item. **Autoclavable.**



80% of actual size

Stainless steel and anodized aluminum Punch diameter: 2 mm 11.5 cm

No. 24214-02 \$68.00

Finger Loop Ear Punch

This ear punch provides stability and control for researchers using the numbering system. The 1 mm ear punch offers greater numbering variations and/or patterns.



80% of actual size

10.5 cm

Punch diameter: 1 mm No. 24212-01 \$48.00

Punch diameter: 2 mm No. 24212-02 \$48.00

Self Piercing Ear Tags

Ideal for use in small animals such as mice and rats, these ear tags come numbered from 1-100 or 1-500. Silver colored tags with black numbers provide high visibility making them easy to read. Once applied, tags seal and cannot be removed, providing an easy to use, permanent identification method. These ear tags are safe for use in salt water.



Ear tags Alloy: Monel 7.8 x 2.8 mm

Black numbers 1-100 No. 24220-10 \$32.00 Black numbers 1-500 **No. 24220-50** \$168.00



above 500 are available by special order.

Custom alphanumeric sequences and numbers

1 to 6 numbers only: \$58.00 per 100 ear tags \$170.00 per 500 ear tags 1 to 6 letters or numbers: \$74.00 per 100 ear tags \$180.00 per 500 ear tags

For special order, use item **No. 70000-10** and indicate sequence. Please allow 5 to 6 weeks for delivery.



Ear Tags (enlarged view)

Animal Microtattoo System

A quick, efficient and affordable method of permanently identifying laboratory animals (mice as early as 1 day old). Designed and tested by laboratory animal technicians, the system utilizes a hypodermic needle at one end of a stainless steel forceps and a small metal cup containing green tattoo paste at the other side of the forceps.


By squeezing the forceps together, the needle penetrates the toe, footpad or ear of the animal and injects a deposit of green tattoo paste into the animal. A grid location pattern provided enables a numbering system that extends over 1 million.

Use of the microtattoo system is humane and in compliance with regulatory agencies for the care and use of laboratory animals. Detailed instructions are included. **Both the microtattoo forceps and green tattoo paste are autoclayable.**

Animal microtattoo system includes:

- 1 Pair plated steel microtattoo forceps
- 1 Tube (1 oz.) of green tattoo paste
- 1 Aluminum planchette
- 2 Hypodermic needles
- 1 Plastic holding case





No. 24201-00 \$625.00



Green tattoo paste 1 oz

No. **24201-01** \$13.00



Silicone Seal and Lubricant

This stiff non-melting silicone base maintains its consistency from -40°C to 200°C (40°F to 392°F) with less than 2% evaporation after 24 hours of exposure to 150°C (302°F). Typical applications include lubrication of stopcock rotating parts and other lab items. Seals vacuum and low pressure systems. Compatible with glass, plastics, metals, synthetic rubber gaskets and seals. Autoclavable.

15 ml container No. 29051-45 \$6.00

Demagnetizer

This safe and easy to operate tabletop demagnetizer has a large coil opening of 8 x 4 cm in a rigid, molded housing. Can be used to demagnetize or magnetize instruments.

12 x 5.5 x 9 cm






Instrument Sharpening Stones

Natural Arkansas oil stones feature unequaled fineness, hardness and structural density. When used with mineral oil, they will produce a sharper cutting edge.

6 mm x 9 cm

Square stone No. 29008-01 \$19.00

Triangular stone No. 29008-12 \$20.00



Instrument Oil and Oil Pen

50 ml bottle

\$15.00

No. 29055-00

Physiologically inert oil for lubricating surgical instruments, box locks, ratchets and any overlapping joints. Oil pen is refillable.







7 mm needle 12.5 cm

12 ml oil pen No. 29055-12 \$18.00

Sharpening Stone for Fine Forceps

This natural Arkansas stone assists in resharpening the tips of fine forceps. The stone has two grooves, 0.8 mm and 1.6 mm, and comes in a cedar box with ten 0-rings.







Fine Forceps Repair Kit

Realign and repair fine forceps with this convenient kit. Bent forceps tips can be restraightened with the chain nose pliers. The sharpening stone has two grooves, 1.6 mm and 0.8 mm, to assist in resharpening the forceps tips. O-rings clamp the forceps shut to ensure that both shanks are equally aligned and sharpened. Instrument oil assists in producing a smooth sharp edge. Detailed instructions are included.

Kit includes

- 1 Sharpening stone for fine forceps with ten 0-rings (No. 29008-22)
- 1 Instrument oil, 50 ml bottle (No. 29055-00)
- 1 Chain nose pliers

No. 29000-00 \$100.00



Optical Cleaning Kit and Lens Paper

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics, and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)

Kit

No. 29000-10 \$36.00

Lens Paper 15 x 10 cm Book of 50 sheets No. 29015-50 \$6.00



Instrument Marking Tape

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 8 colors available. **Autoclavable.**

Material: Vinyl 290 x 0.6 cm (each roll)





Green No. 29071-01 \$15.00



White **No. 29071-05** \$15.00



Blue **No. 29071-02** \$15.00



Black **No. 29071-06** \$15.00



Yellow **No. 29071-03** \$15.00



Brown No. 29071-07 \$15.00



Red **No. 29071-04** \$15.00



Orange No. 29071-08 \$15.00

Instrument Marking Tape 8 Assorted Colors

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. Includes 8 assorted color rolls: Yellow, Red, Black, White, Green, Brown, Blue and Orange.

Autoclavable.



Instrument Tip Protectors

These tip protectors are a convenient, color-coded way to protect surgical instrument tips and edges. They provide exceptional protection and are vented to prevent rusting from condensation. Instrument tip protectors are recommended during handling, storage, and sterilization. **Autoclavable.** Material: Plastisol



1.6 x 19.1 mm

Pkg. of 25 **No. 29060-01** \$16.00



2 x 19 mm

Pkg. of 25 **No. 29060-02** \$16.00



2.8 x 19.1 mm

Pkg. of 25 No. 29060-03 \$16.00



3.2 x 25.4 mm

Pkg. of 25 **No. 29060-04** \$16.00



4.8 x 25.4 mm

Pkg. of 25 **No. 29060-05** \$16.00



2 x 9.5 x 25.4 mm

Pkg. of 25 No. 29060-06 \$16.00



000



Assorted pack, five of each size

Pkg. of 30 No. 29060-00 \$19.00



Double Tip Protectors

These vented tip protectors are designed to hold hemostats and rongeurs firmly while allowing the jaws, box hinge and tips to stay open for thorough sterilization. **Autoclavable.**

Material: Plastisol



12.7 x 20 mm

Pkg. of 10 **No. 29066-01** \$14.00



9 x 25.5 mm

Pkg. of 10 No. 29066-02 \$14.00



15 x 25 mm

Pkg. of 10 No. 29066-03 \$14.00



25 x 26 mm

Pkg. of 10 No. 29066-04 \$14.00



Assorted pack, three of each size

Pkg. of 12 No. 29066-00 \$16.00

Self Sealing Sterilization Pouches

Preformed pouches with self adhering tape are blue tinted on one side for visualization of contents, and paper-backed on the other side. Pouches will work with either steam autoclave or ethylene oxide sterilization.

Advantages:

- Protects instruments during sterilization.
- Provides sterile storage until use.
- Write on pouches for easier identification during sterilization.



10 x 18 cm For instruments up to 13 cm long

Pkg. of 100 pouches **No. 28000-07** \$39.00

13 x 26 cm For instruments up to 23 cm long

Pkg. of 100 pouches **No. 28000-10** \$49.00

18 x 30 cm For instruments up to 26 cm long

Pkg. of 100 pouches No. 28000-12 \$64.00

Hot Bead Sterilizer

The sterilizer provides a safe, effective and convenient method for sterilizing your surgical instruments prior to and during surgery or tissue culture. Without using potentially dangerous gases, flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants.

The beads take 15–20 minutes to reach 240°C to 270°C (464°F to 518°F), and then the sterilizer is ready for use. The temperature is thermostatically maintained, and the unit can be left on all day. Instruments require approximately 20 seconds of contact with the beads for complete sterilization. The sterilizer is safe to use even in laminar flow hoods.

Sterilization test results conducted by the Pasteur Institute in Lille, France, are available upon request. Available in 110V and 220V. CE Certified and UL Approved.

Sterilizer includes:

- · Sterilizer unit
- · 2 Bags of glass beads
- 1 Dust cover for well
- 1 Small heat-tempered glass dish for small objects (only with FST 250)



FST 250 Sterilizer
Well diameter: 4 cm
Well depth: 8 cm
Well volume: 100 ml
Well volume: 175 ml

Total unit size: 14.5 x 12.5 x 13.5 cm Total unit size: 20.5 x 12.5 x 13.5 cm

 No. 18000-45
 No. 18000-50

 \$825.00
 \$985.00

Replacement glass beads for FST 250

No. 18000-46 \$31.00 Replacement glass beads for FST 350

No. 18000-51 \$62.00

Autoclave Tape Dispenser


Easy loading core with heavy duty steel construction and a non-skid base. Serrated cutting blade cuts tape fast and cleanly.



Autoclave Tape

Tape will permanently indicate diagonal stripes after exposure to steam autoclave temperature between 121°C and 130° C during a 40-60 minute time period. Use with sterilization pouches, sterilization wraps and sterilization cases.





2 cm x 55 m

No. 28001-02 \$15.00

Surgical Skin Marker

This marker features a versatile tip for precise fine (0.2 mm) line marking, or when held at an angle, a broad (2 mm) line marking.

The marker's violet ink is nontoxic, non-tattooing and surgical prep-resistant. Markings can be removed from the skin with isopropyl alcohol. A six-inch ruler calibrated in both centimeters and inches is included.

14 cm

No. 18000-30 \$5.00



80% of actual size



Silicone Mat

High quality, extra soft mat for safe and secure placement of delicate instruments. This mat can easily be cut along the premarked grooves to fit in various sized instrument cases. **Autoclavable.**



Magnetic Sterilization Mat


Used during sterilization and for safe anti-slip placement around surgical settings. **Autoclavable.**



Instruments not included.

30 x 20 cm

No. 20350-00 \$185.00



Sterilization Container

This plastic sterilization container includes a silicone mat for safe placement of instruments. Perforated top is clear for visual identification of instruments. **Suitable for autoclave or ethylene oxide sterilization.**







27 x 16 x 4 cm

No. 20810-02 \$284.00



Two Tiered Sterilization Container

This plastic sterilization container has two tiers of silicone slots that will accommodate up to 12 different instruments. Hinged top and bottom lock tight. Container is perforated. **Suitable for autoclave or ethylene oxide sterilization.**

25 x 12 x 3 cm

No. 20820-00 \$260.00

Disposable Sterilization Wraps

These biodegradable cellulose fiber wraps are resistant to tears and conform easily to maintain a breathable yet impervious barrier to airborne bacteria, saline, blood and water. Wrapping your instrument case securely will ensure the sterility of your instruments until ready for use. Available in two sizes.



Cases not included.

Sterilization Container


Double tier

25 x 15 x 4 cm

No. 20842-03

\$246.00

This sterilization container is made from Ultem® polymer to ensure strength and long lasting durability. The transparent perforated lid provides easy identification of your surgical instruments. Silicone mat is included for a safe and secure hold. Trays are also stackable for convenience. Suitable for autoclave or ethylene oxide sterilization.



Dual Clasping Stainless Steel Sterilization Container

This container will assist in the sterilization and storage of your fine surgical instruments. It comes with a custom fit silicon mat and one single-use filter for keeping the instruments sterile while they remain in the container. **Suitable for autoclave or ethylene oxide sterilization.**



No. 20850-00 \$340.00

5 Long-term textile filters No. 20850-10 \$54.00

Stainless Steel Sterilization Container

Removable perforated interior plates hold long-term textile filters which keep the instruments sterile while they remain in the container. Lid can be locked in place. Comes with two textile filters installed. **Suitable for autoclave or ethylene oxide sterilization.**



20 x 10 x 4 cm

No. 20890-51 \$366.00

10 Long-term textile filters No. 20890-72 \$101.00



This case is built to withstand the roughest lab use. The lid is hinged and has a secure locking clasp. The inside bottom of the case is lined with a silicone mat which will cushion the most delicate instruments against impact.

The inside top of the lid has two specially shaped silicone strips which press down gently on the instruments inside the case as the lid is closed, holding them securely in place.

Case and silicone inserts are autoclavable but should not be used for sterilizing surgical instruments.

20 x 14 x 5 cm

No. 20020-00 \$513.00



Utility Instrument Case

Comes with a silicone mat for safe placement of instruments. Case and silicone insert are autoclavable but should not be used for sterilizing surgical instruments.

18 x 9 x 3 cm

No. 20311-21 \$119.00







Instrument Case

This plastic case is compact, safe, secure, and slotted for placement of individual surgical instruments, aiding in the prevention of tip damage. Five colors available.

Case is autoclavable but should not be used for sterilizing surgical instruments.

17 x 8 x 2 cm







DI

Blue Gr

No. 20830-00 \$14.00

Green

No. 20830-01 \$14.00 Clear

No. 20830-02 \$14.00 Yellow

No. 20830-03 \$14.00 Pink

No. 20830-04 \$14.00 Orange

orango -

No. 20830-05 \$14.00



Purple

No. 20830-06 \$14.00




Instrument Beaker with Silicone Bottom

Instruments are placed in the beaker with their tips immersed in distilled water when not in immediate use. This keeps the instruments clean and functional and ready to grasp. The instrument tips are protected from damage by the soft silicone rubber bottom. Segmented lid keeps instruments organized and secure.

Diameter: 10 cm Height: 8 cm

No. 00081-00 \$285.00





Instrument Holding Spring

For the safe placement of delicate surgical instruments during use. Pin the sharp ends into the drape to secure the mounting spring.

Diameter: 2 cm Length: 4 cm (closed)

No. 18090-00 \$25.00

Stainless Steel Burrs

Shaft diameter: 2.3 mm Length: 44 mm Pkg. of 10 burrs



Diameter (mm)	Item	Price
0.7*	No. 19008-07	\$25.00
0.9**	No. 19008-09	\$25.00
1.4	No. 19008-14	\$25.00

^{*} Use this size for screws No. 19010-10.

Carbon Steel Burrs

Shaft diameter: 2.3 mm Length: 44 mm Pkg. of 10 burrs



Diameter (mm)	Item	Price
0.5	No. 19007-05	\$19.00
0.7*	No. 19007-07	\$19.00
0.9**	No. 19007-09	\$19.00
1.4	No. 19007-14	\$19.00
2.1	No. 19007-21	\$19.00
2.9	No. 19007-29	\$37.00



Tungsten Carbide Burrs

Shaft diameter: 2.3 mm Length: 44 mm Pkg. of 5 burrs





For more information see page 183.

Diameter (mm)	Item	Price
0.5	No. 19009-05	\$32.00
0.7*	No. 19009-07	\$32.00
0.9**	No. 19009-09	\$32.00

^{*} Use this size for screws No. 19010-10.

Stainless Steel Trephines

Side opening for clearing of material.

Shaft diameter: 2.3 mm Length: 44 mm Sold individually





Diameter (mm)	Item	Price
1.8	No. 18004-18	\$24.00
2.3	No. 18004-23	\$24.00
2.7	No. 18004-27	\$29.00
5	No. 18004-50	\$56.00

Stainless Steel Circular Saw

For cutting bone and other hard substances. Attaches to mandrel (No. 18000-18), right.

Diameter: 16 mm Thickness: 0.1 mm

\$51.00





Stainless Steel Mandrel

Screw allows attachment of discs and circular saws for use with high speed drills.

Shaft diameter: 2.3 mm Length: 45 mm

No. 18000-18 \$7.00



^{**} Use this size for screws No. 19010-00.

^{*} Use this size for screws No. 19010-10.

^{**} Use this size for screws No. 19010-00.

^{**} Use this size for screws No. 19010-00.

Low Cost Cautery Kit

This low cost, high temperature cauterizer is a great alternative to disposable cautery units. Temperature at tips is approximately 1000°C (1832°F). Replacement cautery tips are available.

Not autoclavable.



Plastic body Stainless steel tips: 0.2 mm diameter Total weight: 60 g Length: 17.5 cm (without tip)

Cautery kit includes:

- 1 Cautery handle
- 2 AA Batteries
- 2 Standard tips
- 1 Storage case
- 2 Fine tips

Cautery kit No. 18010-00 \$102.00

65% of actual size



Replacement tips Straight standard

Box of 10 tips No. 18010-01 \$98.00



Replacement tips Straight fine

Box of 10 tips No. 18010-02 \$109.00

Small Vessel Cauterizer

This small hand-held unit keeps bleeding to a minimum and therefore provides a surgical field clear of clamps and hemostats. The cauterizer should be activated momentarily so the delicate tips do not burn out. Temperature at tips is approximately 1000°C (1832 °F). Replacement cautery tips are available. Autoclavable.



Heavy gauge stainless steel body Platinum-iridium tips: 0.3 mm diameter Total weight: 100 g

Length: 13.5 cm (without tip)

Cautery kit includes:

- 1 Cautery handle
- 2 AA Batteries
- 1 Straight fine tip
- 1 Storage Case

• 1 Angled fine tip

Cautery kit No. 18000-00 \$577.00

Cautionary note:

Remove batteries before autoclaving.

65% of actual size



Replacement tip Straight fine

No. 18000-01 \$90.00



Replacement tip Angled fine

No. 18000-02 \$90.00



Replacement tip Straight knife

No. 18000-03 \$90.00



Replacement tip Straight knob

No. 18000-04 \$90.00

Neuro Punches

N.I.H. style neuro punches for punch removal of frozen brain microregions.

ID (mm)	OD (mm)	Gauge	Length (cm)	Item	Price
0.31	0.61	24	4.2	No. 18036-24	\$60.00
0.41	0.70	22	4.5	No. 18036-22	\$60.00
0.69	1.00	19	4.5	No. 18036-19	\$60.00

Sample Corers

For quantitative analysis. Comes with plunger.

8.5 cm



ID (mm)	OD (mm)	Gauge	Item	Price
0.35	0.80	21	No. 18035-35	\$99.00
0.50	1.00	19	No. 18035-50	\$75.00
0.80	1.45	17	No. 18035-80	\$75.00
1.00	1.80	15	No. 18035-01	\$72.00
2.00	3.00	11	No. 18035-02	\$72.00
3.00	4.00	8	No. 18035-03	\$72.00
5.00	6.00	4	No. 18035-05	\$72.00

Absorption Spears and Triangles

These synthetic surgical sponges absorb fluids twice as fast as the best cotton sponges and have three times their fluid-holding capacity. They are made from strong, soft, lint-free biocompatible-proven material that is non-irritating to delicate tissue and leaves no fibrous residue that might cause wound contamination. The Absorption Spears are sterilized by radiation.





Absorption Spears **Sterile** 7 cm

Box of 200 spears **No. 18105-01** \$168.00

Absorption Triangles **Sterile** 2 cm

Box of 500 triangles **No. 18105-03** \$154.00

Miniature File Set

Comes with 8 different file profiles in a vinyl pouch. **Not autoclavable.**

Screwdriver Set

6 screwdrivers with nickel-plated handles, hardened blades of 1, 1.5, 1.8, 2.3, 2.9 and 3.6 mm width. Comes in a wooden case.






10 cm

No. **30076-14** \$124.00

No. 30090-06 \$93.00

4-in-1 Screwdriver

With 4 hardened, interchangeable blades stored in handle: 1.5, 2, 2.5, and 3 mm.



10.5 cm

No. 30051-10 \$29.00

Utility Scissors

These scissors are extremely hard (54 on the Rockwell scale). Useful for cutting tin or aluminum sheets, bone, plastics, etc. The strong, 3 mm thick blades are magnetic. The plastic handles are anatomically shaped. **Not autoclavable.**



Stainless steel with plastic handle 21 cm

Right-handed No. 37500-00 \$38.00




Ruler with Gauge Measurements


Stainless steel

15 cm (6") **No. 30085-15** \$7.00

90% of actual size



Front



Back

Ruler with Metric Conversion Table

Stainless steel

30 cm (12") **No. 30085-30** \$5.00

50% of actual size



Front



Back

Ruler Label

Used for stable measurements in all surgical platforms.

6 cm

Pkg. of 25 labels **No. 29027-00** \$6.00



Plastic Vernier Caliper

Tough polymer is unbreakable under normal conditions. Measures inside, outside, step and depth, metric and inch to 0.1 mm or 1/64". Capacity is 13 cm.



21 cm

No. 30087-20 \$40.00

Digital Electronic Caliper

Wide screen LED display with the ability to measure in millimeters, inches and fractions. Measures inside, outside, step and depth. Battery, spare battery and plastic storage case included.



Stainless steel 23.5 cm

No. 30087-00 \$47.00

Castroviejo Surgical Caliper

Used for precise measurement during surgery.



0-20 mm with 0.5 mm divisions Tip diameter: 0.5 mm 8.5 cm

No. 18000-35 \$438.00

Magnifying Loupe with Micrometer and LED

High quality loupe features a removable micrometer and ultra-bright LED lights surrounding the circumference for a defined image and clear contrast.

Magnification: 10x Field of view: 30 mm Working distance: 10 mm (without scale)

Illumination: Ultra-bright LED

38 x 38 x 40 mm

No. 29026-10 \$170.00






Large Scale Stage Micrometer

A precision glass scale suitable for calibration and measurement of large field stereo microscope images. Comes with 15x eyepiece and case.

50~mm with 500~divisions (0.1 mm) 80~x 25~mm 8~cm

No. 29026-00 \$205.00



Stage Micrometers

These are highly accurate stage micrometers for use with transmitted light in both compound and stereo microscopes. Comes with a plastic case.

76 x 26 mm

10 mm with 100 divisions (0.1 mm) No. 29025-01 \$189.00

1 mm with 100 divisions (0.01 mm) No. 29025-02 \$197.00

Electronic Clock / Triple Timer

Three activities can be timed up or down simultaneously or individually. Time can be displayed either in 12 or 24 hours and features a memory function. Maximum countdown time is 19 hours, 59 minutes, 59 seconds. Minimum time interval is 1 second. The timer housing includes a powerful magnet for mounting.

LCD display: 4.5 x 4.5 cm 7 x 8.5 x 1.5 cm AAA battery included

No. **27000-01** \$40.00




Gold Wire Contacts

Matching pin and socket. Contacts are crimp terminated, but also can be used for solder connections.

Total length: 16 mm (when connected together) Diameter: 1.2 mm Opening for wire: 0.63 mm

Pkg. of 50 male contacts **No. 19003-00** \$70.00

Pkg. of 50 female contacts No. 19003-01 \$105.00



Headband Magnifier

Precision ground and polished optical glass lenses. The padded headband is lightweight and fully adjustable.



Magnification: 2.5x Working distance: 200 mm (8")

No. 28030-02 \$93.00

Magnification: 2.75x Working distance: 150 mm (6")

No. 28030-03 \$100.00

Magnification: 3.5x

Working distance: 100 mm (4")

No. 28030-04 \$102.00

VisorLIGHT™

Small, portable light source with 3.9 cm cord for attachment to headband. It comes with a battery pack that holds two AA batteries. Completely adjustable. Replacement bulbs are available upon request.



No. 28030-10 \$50.00

Interchangeable Magnifier Headset with LED

Economical and fully interchangeable headband magnifier with LED light.

Includes:

- Glasses Frame with Adjustable Lens Holder
- Adjustable Head Strap
- Magnification Lenses (1x, 1.5x, 2x, 2.5x, and 3.5x) with a protective storage box
- 2 Super Bright White LED bulbs

Magnification: 1x, 1.5x, 2x, 2.5x, and 3.5x

Field of view: Variable Working distance: Variable

No. 28080-00 \$33.00





Galilean Loupes

These loupes are lightweight and easy to use. Made from the finest optical coated lenses which deliver excellent clarity and high resolution. The loupes are mounted onto a strong yet flexible wraparound safety frame with a headband for stability and comfort. Ability to flip loupes up for use as safety glasses. Comes with mini screwdriver for fine adjustments, micro cloth, and storage case.

Magnification: 3x Magnification: 3.5x

Working distance: 400 mm (16") Working distance: 300 mm (12")

Weight: 72 g Weight: 77 g

No. 28050-30 No. 28050-35 \$335.00 \$390.00



Eschenbach Magnifier Spectacles

These magnifier spectacles allow full adjustments on almost all parts. Headband keeps spectacles steady and in place. (Sold separately.) Leather case included.

Magnification: 2.5x

Working distance: 350 mm (14")

Weight: 70 g

Plastic frame reinforced with fiberglass

No. 28040-30

\$494.00



Spectacles Headband

Compatible with the Eschenbach Max Detail Spectacles (Item No. 28030-20) and Eschenbach Magnifier Spectacles (Item No. 28040-30).

Material: Neoprene



Eschenbach Max Detail Spectacles

These spectacles are portable, lightweight, and easily adjustable. Designed with frosted objective lens housing which eliminates distracting reflections. Bendable ear pieces for a secure, comfortable fit. Protective case is included.

Magnification: 2x Field of view: 110 mm (4") Working distance: 400 mm (16")

Weight: 49 g

No. 28030-20



Eschenbach Clip-On LED Light

A compact and lightweight light source with two high-performance SMD LED's and a lens that concentrates the light producing a more powerful, bright and homogenous field of view. Light can be set high or low. Compatible with the Max Detail Spectacles and Headband Magnifiers. Comes with 3 AA batteries and storage case.

Weight: 11 g No. 28030-25 \$188.00





Optical Cleaning Kit

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics, and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)

No. **29000-10** \$36.00



Lens Paper

This premium grade optical lens tissue is extremely soft and safe for any glass or plastic optical lens surface.

15 x 10 cm

Book of 50 sheets **No. 29015-50** \$6.00

Eschenbach Vario Flex with LED

The Vario LED Flex ensures ease and precision by its smooth flexible neck and tiltable magnifying lens. This magnifier's innovative features provide a spacious working platform suitable for any application. Mounting clamp provides uncompromised workspace due to its sturdy, slim design. The magnification lens is illuminated with shadow-free full or half ring optimum bright LEDs.

Magnification: 2.5x Diopter: 6D Lens size: 76 mm Lens shape: Aspheric Working distance: Variable

Lens material: PXM® lightweight lens with patented

Ceratec® scratch-resistant coating Illumination: Latest SMD LED technology Power source: 120V & 220V

No. 28015-25 \$656.00



Eschenbach Scribolux Magnifier

This magnifier provides an illuminated platform suitable for any working condition. The open design allows for a spacious working platform. Supplied in a microfiber pouch for protecting and cleaning the lens.


Magnification: 2.8x Diopter: 7/11D Lens size: 100 x 75 mm Lens shape: Aspheric Working distance: 75 mm (3")

Lens material: PXM® lightweight lens with patented

Ceratec® scratch-resistant coating Illumination: Latest SMD LED technology Power source: 4 AA batteries (included)

No. 28020-28 \$184.00





Student Quality Instruments


Scissors Pages 173 – 174

Vessel Dilator Page 175

Forceps Pages 175 – 177

Hemostat, Needle Holder, Pin Holder,

Scalpel Handle & Retractor Pages 178 – 179



90% of actual size

Blunt/Blunt

10.5 cm

\$31.00

12 cm

14.5 cm

\$35.00

No. 91400-10

No. 91400-12 \$33.00

No. 91400-14

Vannas Spring Scissors

Ideal for introductory courses in microdissection. The manufacturer, material and general pattern are the same as our No. 15003-08 but with much of the costly hand finishing omitted.



Cutting edge: 5 mm Tip diameter: 0.35 mm 9 cm



Straight

No. 91500-09 \$102.00






Guiveu

No. 91501-09 \$111.00





\$34.00

14.5 cm

\$37.00

No. 91402-14

\$34.00

14.5 cm

\$37.00


No. 91401-14

Lister Scissors

Longer blunt blade prevents damaging tissue underneath skin without losing the cutting line.

Bone Scissors

For cutting fine bone.



5-9 = 5% 10+ = 10%

Per item, selection cannot be assorted for discount.



For more info on student instruments see page 187.



No. 91413-14 \$32.00



Curved Cutting edge: 9 mm 9 cm

No. 91604-09 \$68.00

Wide, strong grip with narrow tips.

Adson

Vessel Dilator



Angled 10° Tip diameter: 0.5 mm 11 cm

No. 91815-11 \$124.00

Standard Pattern

Broad pattern with strong spring action.



Quantity discount for student instruments:

5-9 = 5%10+ = 10%

Per item, selection cannot be assorted for discount.



Serrated

Tip width: 2.5 mm

11.5 cm No. 91100-12 \$16.00


Tip width: 3.5 mm 16 cm No. 91100-16 \$21.00



Tip width: 2.5 mm 12 cm No. 91121-12 \$16.00



No. 91106-12 \$24.00



No. 91127-12 \$27.00

Tip width: 1.5 mm

12 cm

Dumont #5

Dumont #7

Quantity discount for student instruments:

5-9 = 5%10+ = 10%

Per item, selection cannot be assorted for discount.

For more info on student instruments see page 187.





MOST POPULAR

Standard tip 0.1 x 0.06 mm Inox 11 cm

No. 91150-20 \$40.00

Standard tip 0.17 x 0.1 mm Inox 11 cm

No. 91197-00 \$43.00



Halsted-Mosquito Hemostat Halsey Needle Holder Quantity discount for student instruments: 5-9 = 5%10+ = 10%Per item, selection cannot be assorted for discount. For more info on student instruments see page 187. Straight Curved 13 cm 12.5 cm 12.5 cm No. 91201-13 No. 91308-12 No. 91309-12 \$52.00 \$36.00 \$37.00 For suture needles, see page 116 & 117.

Pin Holder

Standard Scalpel Handle #3

Quantity discount for student instruments:

5-9 = 5%10+ = 10%

Per item, selection cannot be assorted for discount.





Nickel-plated Jaw opening: 0-1 mm 7.5 cm

No. 91606-07 \$12.00

For pins, see page 107.

12 cm

No. 91003-12 \$16.00


For scalpel blades, see page 58.

Spring-Loaded Retractor



Curved atraumatic blades Maximum spread: 3 cm Blade dimensions: 14 x 10 mm 8.5 cm


No. 91706-05 \$49.00



Fine Science Tools Around the World

Commitment to excellence

For decades, we've demonstrated our commitment to excellence with genuine quality and a 100% satisfaction guarantee. As a result, our products continue to be the preferred instruments among scientists and biomedical researchers worldwide.



We have offices and dealers throughout the world and have been shipping globally since 1974.



Offices

finescience.com finescience.de finescience.ca USA Europe

Canada/International

•


To see a complete list of Fine Science Tools dealers, please visit us at finescience.ca/Dealers.

Does paying more for a pair of scissors really buy more value and a longer cutting life?

Pictured below is a scissors testing device used to compare various alloys and cutting edge styles. The scissors repeatedly cut through a continuous feed of cotton cloth, and a counter keeps track of the number of cuts made to evaluate when the scissors begin to show a decrease in cutting quality.

The results verify that the addition of various features dramatically increases the cutting life of the scissors. Most notably, the cutting life is more than doubled with the addition of ToughCut blades to stainless steel, and over six times longer with CeramaCut blades.

See the chart below for a comparison of four different scissors sold by FST.



The cutting life is more than doubled with the addition of ToughCut blades to stainless steel, and over six times longer with CeramaCut blades.

Alloy/Material	Lasts longer than stainless steel by:
Tungsten Carbide	1.9x
Stainless Steel with ToughCut	2.3x
Tungsten Carbide with ToughCut	4.1x
CeramaCut (Ceramic Coated Tungsten Carb	oide with ToughCut) 6.6x

See page 183 for more information on ToughCut, Tungsten Carbide and CeramaCut.



FEATURES

Tungsten Carbide



When you place heavy demands on your surgical instruments, be it scissors, needle holders, or forceps, you should consider the benefits of tungsten carbide, one of the hardest alloys available. Tungsten carbide scissors last almost two times longer than stainless steel, and needle holder tips can be made with a pyramid cross pattern that holds suture needles much more securely. Inlays are either glued or welded into place.

Compare the extra cost of these instruments with the length of useful wear and you have a cost effective solution for your instrument requirements. Tungsten carbide instruments are identified by their gold handles.

Scissors: pages 9, 20-21, 23, 30-32, 34 and 44

Forceps: page 84

Needle Holders: pages 111-115

Burrs: page 157

Look for this symbol



ToughCut® Scissors



ToughCut scissors feature two unique cutting edges that cut through the toughest tissue with exceptional ease and accuracy. One blade is honed to razor sharpness, and the other is micro-serrated to minimize tissue slippage during cutting. Scissors with ToughCut edges are identified by their black handles.

For ToughCut scissors that last almost two times longer, select ToughCut with tungsten carbide cutting edges.

Scissors: pages 6, 15, 20-21, 30, 33-34

Look for this symbol



Ceramic and CeramaCut® Instruments



One of the hardest materials on Earth, ceramic is used in surgical instruments to form edges that last longer than stainless steel and even longer than tungsten carbide. Ceramic also has a high slide capacity which reduces surface tension and results in a much cleaner cut than metal instruments. Our CeramaCut scissors combine ToughCut technology with tungsten carbide edges and a ceramic coating for one of the best, cleanest cutting scissors available on the market today.

CeramaCut Scissors: page 21 Ceramic Blades: page 52

Ceramic Coated Forceps: pages 63 and 69 Ceramic Coated Spring Scissors: pages 7 and 10 Look for this symbol



Titanium

Titanium instruments are over 40% lighter than equivalent stainless steel instruments, with better flexibility and strength. Elemental titanium (Ti) is a very strong, lustrous, white metal with a specific gravity of 4.54. Titanium and titanium alloys readily form stable protective surface layers, giving them excellent corrosion resistance to saltwater, laboratory saline solutions, blood and other bodily fluids, oxidizing acids, alkalis and chlorides. Titanium is 100% nonmagnetic; a great benefit when working with nerves. Its inherent surface oxide film provides bactericidal and non-allergenic properties. Titanium alloys can be heated up to 440°C (824°F).

Scissors: pages 5 and 10 Forceps: pages 65, 69, 80, 86 and 90 Probes, Y-Hook and Spatula: page 102 Vascular Clamps: pages 132–133 Look for this symbol



Cleaning, Sterilization, Maintenance, & Storage of Surgical Instruments

Proper care of your surgical instruments will improve their longevity and function. Below are different cleaning, sterilization, and maintenance processes to quide you through your techniques.

General Care & Maintenance

Guidelines to extend the life of your surgical instruments.

- Clean and thoroughly dry your instruments as soon as possible after each use, paying special attention to joints, hinges, and anywhere there is metal to metal contact.
- Handle your instruments delicately and with care.
- Use your instruments for their intended purpose.
- Store your instruments with tip protectors, and always place them so that they do not touch each other.

Cleaning

Fine surgical instruments should be cleaned immediately after use. Blood or saline solutions left on instruments for any length of time can quickly start corrosive action. Time, temperature, and agitation play important roles in the cleaning process. Time affects the efficiency of cleaning solutions as most are effective after a certain time period. Higher temperature cleaning solutions result in better cleaning. During manual or ultrasonic cleaning it is helpful to loosen any surgical reminisce. Before any of the below procedures, rinse your instruments under warm running water to remove all blood and tissue. Instruments can be cleaned manually or ultrasonically, but always:

- Use a neutral pH (pH 7) cleaning solution.
- Clean instruments in the open position to ensure a thorough and effective cleaning process.
- Use soft textile or paper cloths, soft plastic brushes made of nylon, or water spray guns.

Do **NOT** use steel wool, wire brushes, or scouring pads as these are abrasive to the instruments.

Manual Cleaning

- Make sure all instruments are visibly clean and free from stains, wiping them carefully to remove all blood and tissue matter.
- Rinse instruments thoroughly with distilled water, paying close attention to joints and hinges as these areas can accumulate unwanted material.
- Air dry your instruments completely and use a can of compressed air to blow out any water at the joints and hinges.
 Then store them only in clean and dry environments.

Ultrasonic Cleaning

Ultrasonic cleaning is the most effective cleaning method. The vibrating sound waves create micron-sized bubbles in the solution that grow with the alternating pressure. When the bubbles reach a particular size, they collapse creating a force that dislodges dirt and particles, even in the smallest of crevices.

- NOT recommended for delicate and micro instruments.
- Follow the manufacturer's guidelines for specific instructions and cleaning cycle times. Instruments should be processed for the full recommended cycle time.
- Place instruments in the open position in the ultrasonic cleaner.
 - Do NOT allow instruments with sharp blades to touch other instruments.
 - Do NOT place dissimilar metals (stainless, copper, chrome plated) in the same cleaning cycle.
 - Make sure all instruments are completely submerged.

- After the ultrasonic cleaning cycle is complete, rinse instruments thoroughly to remove all ultrasonic cleaning solution.
- Dry instruments thoroughly with a clean towel.
- Use a spray lubricant in the hinges to minimize the risk of corrosion and maintain functionality.



Sterilization

It is important that instruments are free from all traces of organic or other matter prior to sterilization.

Steam Sterilization/Autoclaving

The autoclave process utilizes moist heat (or steam) under pressure for sterilization. The steam used must be from distilled water and free of all impurities.

- Lubricate all instruments that have any metal to metal interaction such as; scissors, rongeurs, needle holders, hemostats, and retractors. Do NOT use WD-40 or other industrial lubricants.
- Instruments may be autoclaved individually or in sets.
 - Individual instruments: Disposable wraps or sterilization pouches are ideal. Make sure the pouch size is sufficient for the instrument to be in an open (unlocked) position.
 - Instrument sets: Open and unlock all instruments. Place the heavier instruments on the bottom of the set when two layers are needed.

IMPORTANT NOTE: Do **NOT** mix instruments of different or unknown alloys in the autoclave.

- Do NOT lock instruments during autoclaving. This will prevent the steam from reaching and sterilizing the metal to metal surfaces, and heat expansion during autoclaving can cause cracks in the hinge areas.
- Do NOT over load the autoclave chamber as this may hinder steam penetration.
- Place a towel on the bottom of the pan to absorb excess moisture during autoclaving. Make sure the towel has no detergent residue and is pH neutral if immersed in water.
- At the end of the autoclave cycle (before the drying cycle) unlock the autoclave door and open it slightly. Run the dry cycle for the recommended time period by the autoclave manufacturer.

Please note: If the autoclave door is fully opened before the drying cycle, cold air will rush into the chamber, which can cause condensation on the instruments. This will result in water stains on the instruments.

Hot Bead Sterilization

Recommended for speed and convenience when instrument tips or blade sterilization is required. The Hot Bead Sterilizer does not use dangerous gases, flames, or chemicals. Highlights:

- · Bench top set up.
- Only 20 seconds of contact required to ensure your instruments are free of pathogens and microbial contaminants.
- Can be left on all day.

Beads reach temperature of 240° - 270°C (464° - 518°F) within 15-20 minutes heating time.

Please see page 149 for more information on the FST Hot Bead Sterilizers.

Ethylene Oxide (ETO) Sterilization

This method is recommended for instruments that will not tolerate high temperatures or moisture (e.g., catheters, cannulae, etc.). This is a process consisting of 4 primary variables; gas concentration, humidity, temperature and time. Sterilization pouches and wraps available, see pages 148 and 152.

Storage

Surgical instruments should be properly stored in a clean and dry environment. It is highly recommended to use tip protectors and instrument cases to avoid possible damage to your instruments. Instrument tip protectors are available, see page 147. Instrument cases are available, see pages 152 – 155.

Oxidation (Rust)

All FST stainless steel surgical instruments are manufactured from medical grade stainless steel under strict European standards. It is very important to properly take care of your instruments to extend their lifespan.


Although stainless steel is corrosive resistant, it can still rust or stain if handled improperly. Under unfavorable conditions instruments may oxidize because stainless steel that is exposed to physical, thermal, or chemical manipulations may lose some of its stainless properties.

Quality Control

The high quality of Fine Science Tools surgical and microsurgical instruments is the result of our relentless attention to detail. Almost every instrument we sell is manufactured by skilled European craftsmen, designed to exacting specifications made from the finest German stainless steel alloys, and forged from the strongest, lightest materials available, and tested to ensure precision performance and ergonomics.


We are dedicated to quality control, with technicians in our German office inspecting most FST instruments. Aside from checking instrument dimensions and specifications, we thoroughly inspect tip sharpness, cutting edges, springs, joints, and other various components. Only after passing our detailed inspections, instruments are approved and sealed with our "FST Inspected" sticker.

We are proud to guarantee all of our products with your 100% satisfaction. If, for any reason, you are not completely satisfied with your purchase, you may return it for a full refund.













FST Student Quality Instruments

One of the hallmarks of FST has always been to accurately assess the needs of our customers. We gather information not only from the lab, but from conferences, journals and researchers. Whether it is designing new tools or finding new applications for existing instruments, we believe our best information comes directly from you.

Our customers wanted reduced costs and quantity discounts without sacrificing the precision and quality inherent in German instruments. To meet their needs, we have developed a full line of "student" instruments. They were created for use in the classroom where students are learning proper instrument care.

Unlike our competitors, the quality of these instruments does not drop dramatically with the price. Our student line uses quality stainless steel and maintains the precision you expect from FST. In addition they carry our unconditional satisfaction guarantee while being offered at a significantly reduced price.

Not intended as a substitute for our highest quality instruments, the student line may require extra care as the alloys used are more susceptible to corrosion. All of our shipments come with an instruction pamphlet describing the use and care of surgical instruments. Visit our website at **finescience.ca** for more information.

Features:

- Economy
- · Quantity discounts
- Quality
- German craftsmanship
- Less hand finishing
- Less expensive alloys

We Proudly Stock



Fine Science Tools is proud to offer a large selection of left-handed surgical instruments to the research community. To find our left-handed instruments in this catalog, look for the "left-handed" icon on the pages below.

Scissors: pages 17, 29 and 161 Hemostatic Forceps: page 93 Needle Holders: pages 113-114

Ligation Aid: page 135



FST features a selection of scissors with larger than normal finger loops. Most of these loops are easily adjustable to fit larger fingers more comfortably. To find our large loop scissors please look for the "large loop" icon on the pages below.

Scissors: pages 19, 28 and 31



Fine Science Tools has noted which items are most frequently purchased for use in a variety of surgical procedures. To find our most popular items, look for the "most popular" icon throughout the catalog.



Fine Science Tools offers a wide selection of the latest and most popular Dumont forceps. Hand crafted in Switzerland for more than a century, these forceps are known for their consistent and uncompromised fineness. Dumont forceps come in a wide array of styles and alloys. On page 189, you will find detailed descriptions to help guide you in choosing the right Dumont forceps best suited for your needs.



Moria of France is one of the most respected and well known ophthalmic instrument manufacturers in the world, offering some of the finest surgical instruments in the industry for almost 200 years.

Only quality Swedish and German stainless alloys are selected; and many hours of highly skilled labor are put into the manufacturing process, which includes hand crafted sharpening, balancing, and polishing, often done under 40x magnification. Moria's product line includes scissors, spring scissors, forceps, spoons, vessel clamps, and more.



This Swiss manufacturer has established itself as one of the premier suppliers of superb microsurgical instruments worldwide. Unique designs, precise instrument balance, and optimum angles gives S&T instruments the "right feel" which is important for all procedures. S&T's product line includes forceps, needle holders, scissors, vessel clamps, sutures, vessel cannulation forceps, vessel dilators, and more.

Finding the Dumont forceps best suited for your needs:



Alloys	Hardness	Magnetic	Temperature resistance	Autoclavable	Advantages	
Titanium	Least Hard	No	Up to 430° C	Yes	Resistant to corrosion from nitric acid, chloride, and salt water. Titanium is 40% lighter than stainless steel.	
Dumoxel	Hard	No	400° C	Yes	The most popular alloy available for Dumont forceps offers the best resistance to corrosion, sulphuric environments, hydrochloric acids, and all other mineral and organic acids.	
Inox	Harder	Yes	400° C	Yes	Available for most Dumont forceps. Contains chromium added to carbon steel, which results in some loss of hardness but offers good stainless qualities and resistance to corrosion.	
Dumostar	Harder	No	500° C	Yes	More durable and corrosion resistant than the best stainless steels. Highly resistant to mineral and organic acids, and salt water. Dumostar lasts an average of four times longer than Dumoxel and Inox. Most cost effective alloy for laboratory use.	
Carbon	Hardest	Yes	N/A	No	Extremely hard; ensuring strong tips. Easily stains and rusts without proper care. Carbon cannot be immersed in a water bath or sterilized.	
Tip profile	s: Dimensio	ns vary. See	e each style for	specific dimen	sions (width x thickness).	
Standard	Made for high	h precision and	d consistently preci	ise work under a m	iicroscope.	
Biology	Twice as fine	as "Standard	Tips." Especially pr	roduced for high pr	ecision laboratory work under the microscope.	
Super Fine Tips			tandard Tips." The		ely delicate for the finest work under the microscope.	
Styles						
#2	Straight force		vet fine tips, referre	ed to as Mouse Lam	ninectomy Forceps because of their popularity in breaking off delicate bone	
#2AP	Epoxy coated	with flat wide	blunt tips.			
#3	Long straight	forceps with c	oarse tips. Popular	in low magnification	on procedures.	
#3C	Shorter version	on of #3.				
#4	Similar to the	#5 but with br	roader shanks and s	stronger tips.		
#5	Most popular	style of Dumo	nt straight forceps	with fine tips whic	h come in several styles.	
#55	Similar to the #5 but with lighter shanks, giving the forceps a lighter spring action.					
#5CO	Similar to the	#55 but with	even finer shanks p	roducing the lighte	st spring action and longest meeting surface of any Dumont style.	
#5L	Medical #5 fo	orceps with slic	de sleeve for a secu	ıre hold and retenti	on.	
#5SF	The finest tip	s ever produce	d by Dumont.			
#5XL	Extra Long #5	forceps.				
#5/45	Tips angled a	t 45°.				
#5/45C	Designed to p	oick up cover sl	ips from multi-well	plates.		
#5/90	Tips angled a	t 90°.				
#6	Sharply angle	ed, broad tips.				
#7	Most popular	style of Dumo	nt curved forceps v	vith fine tips which	come in several styles.	
#7B	Curved serrat	ed tips.				
AA	Strong broad	tips.				
M	Mini forceps.					
Medical	Denotes disti	nctive ribbed h	andle to maximize	grip.		
SS	Long and narr	row shanks wit	th thin tips.			
WA	One piece de:	sign with no so	oldering grooves all	ows the forceps to	be thoroughly and easily cleaned preventing biofilm residue.	

Item	Page	10031-13 100	10097-1649	11001-1487	11023-14 88	11101-09 83
No.	No.	10032-13 100	10099-12105	11001-1687	11023-15 88	11103-0983
		10033-13 100	10099-15105	11001-1887	11024-1891	11106-09 83
00071-14	131	10035-00 56	10100-3052	11001-2087	11025-1891	11150-10 80
00072-14	131	10035-0556	10100-4552	11002-12 86	11026-15 89	11151-1080
00081-00.	156	10035-10 56	10110-0153	11002-13 86	11027-1284	11152-1080
00108-11	75	10035-12 56	10110-03 53	11002-14 86	11028-15 89	11153-1080
00109-11	75	10035-15 56	10110-05 53	11002-16 86	11029-14 88	11154-10 80
00125-11	136	10035-20 56	10110-0753	11002-18 86	11030-12 85	11155-1080
00126-11	136	10035-25 56	10130-05107	11002-2086	11031-15 89	11158-1080
00272-13	77	10035-30 56	10130-10107	11002-2586	11032-12 84	11159-1080
00276-13	136	10050-0055	10130-20107	11003-12 86	11036-2087	11160-10 80
00325-00.	130	10052-1155	10140-01101	11003-13 86	11036-9087	11200-0072
00396-01.	130	10053-0955	10140-02101	11003-14 86	11040-0879	11200-1072
00398-02.	130	10053-1355	10140-03101	11003-1686	11041-0879	11200-1272
00400-03.	130	10055-12 50	10140-04101	11003-1886	11042-0879	11200-1472
00574-11	139	10056-12 50	10152-3054	11003-20 86	11043-0879	11200-3371
00632-11	75	10058-1551	10157-13 54	11006-12 84	11049-1080	11203-2371
00649-11 .	75	10059-13 50	10157-15 54	11006-1578	11050-1080	11203-2571
10000-10	60	10059-1551	10157-18 54	11008-13 86	11051-10 80	11210-1071
10000-11	60	10060-00 60	10160-13103	11008-1586	11052-10 80	11210-2071
10000-15	60	10060-13 60	10162-12 99	11009-1386	11053-10 80	11215-0141
10002-00.	59	10061-12101	10165-11102	11009-1586	11054-1080	11215-0241
10002-50.	59	10062-12101	10166-11102	11010-1791	11055-10 80	11220-2170
10003-12	58	10063-15 100	10167-11102	11011-1791	11062-1081	11223-2070
10003-13	58	10064-14101	10315-12 56	11012-1891	11063-0776	11231-20 68
10004-13	57	10065-15 100	10316-14 56	11012-2191	11064-0779	11231-30 68
10006-12	61	10066-15 100	10317-14 56	11012-2591	11065-0779	11241-3070
10007-12	59	10073-14 50	10318-14 56	11013-1891	11066-0779	11242-4070
10007-16	59	10075-16 49	10321-08 108	11013-2191	11067-0779	11251-1065
10008-13	57	10080-0549	10360-13 108	11014-18 90	11069-0879	11251-20 65
10010-00 .	58	10081-1049	10370-1351	11015-18 90	11070-0879	11251-21 66
10010-10	61	10082-1549	10370-17 108	11016-1791	11071-1081	11251-23 65
10011-00	58	10083-20 49	10370-18 108	11017-1791	11072-11 83	11251-30 65
10011-10	61	10087-12 104	10370-19 108	11018-12 84	11073-1082	11251-3367
10012-00	58	10088-15103	11000-1287	11019-12 84	11074-0282	11251-3567
10015-00 .	58	10089-11 104	11000-1387	11020-12 84	11075-0082	11252-0063
10015-10	61	10090-13103	11000-1487	11021-12 88	11080-02 90	11252-20 65
10020-00.	57	10090-17103	11000-1687	11021-14 88	11083-0776	11252-21 66
10021-00 .	57	10091-12 104	11000-1887	11021-15 88	11084-0776	11252-23 65
10022-00.	57	10092-12 104	11000-2087	11022-12 84	11090-0976	11252-3065
10023-00.	57	10093-13 104	11000-2587	11022-14 88	11091-1597	11252-4065
10025-45.	52	10094-13 104	11000-3087	11022-15 88	11092-1297	11252-5063
10025-50.	52	10095-1249	11001-1287	11023-10 88	11095-09 96	11253-10 66
10030-13	100	10096-1649	11001-1387	11023-12 88	11095-13 96	11253-2064

11253-21 64	11617-1285	12060-01110	14001-1329	14024-1433	14085-0815
11253-2564	11626-1167	12060-02 110	14001-1429	14028-1022	14085-0915
11253-2767	11627-1285	12061-01110	14001-1629	14029-1022	14086-0927
11253-2964	11650-1080	12061-02110	14001-1829	14037-1028	14088-1018
11254-2063	11651-1080	12075-12 110	14002-1229	14040-1019	14090-0916
11255-2065	11652-10 80	12075-14110	14002-1329	14041-1019	14090-1116
11260-20 68	11700-0082	12076-12 110	14002-1429	14054-1330	14091-0916
11270-20 69	11700-0182	12102-12 113	14002-1629	14058-0920	14091-1116
11271-30 69	11700-0282	12500-12112	14003-1229	14058-1120	14094-1116
11272-30 69	11700-0382	12501-13 112	14003-1329	14059-0920	14095-1116
11272-40 69	11700-0482	12502-12 113	14003-1429	14059-1120	14101-1431
11272-50 69	11900-1478	12502-14 113	14003-1629	14060-0917	14105-1225
11273-2064	12001-13 112	12503-15114	14003-1829	14060-1017	14106-0928
11273-2264	12002-12 113	12504-15114	14003-2029	14060-1117	14108-0928
11274-20 69	12002-14113	12505-15115	14004-1229	14061-0917	14110-1534
11280-11139	12003-15114	12510-14 111	14004-1329	14061-1017	14110-1734
11281-11139	12004-16114	12512-12113	14004-1429	14061-1117	14111-15 34
11282-11139	12004-18114	12565-14111	14004-1629	14062-0917	14111-17 34
11293-00 68	12005-15115	13002-1096	14004-1829	14062-1017	14116-1433
11294-0070	12010-14 111	13003-1096	14005-1229	14063-0917	14116-1833
11295-00 65	12018-12 119	13004-1494	14005-1329	14063-1117	14117-14 33
11295-10 65	12020-00121	13005-1494	14005-1429	14064-1124	14117-1833
11295-20 63	12020-09121	13006-1292	14005-1629	14065-1124	14130-17 30
11295-5165	12022-09121	13007-1292	14007-1430	14066-1124	14131-1431
11297-00 69	12023-00121	13008-1293	14008-1429	14067-1124	14160-1017
11297-10 69	12028-12119	13009-1293	14010-1534	14068-1219	14161-1017
11370-3174	12029-12119	13010-12 93	14010-17 34	14069-1219	14171-1028
11370-3274	12030-01120	13011-1293	14011-1534	14070-1219	14173-1225
11370-4074	12030-04120	13012-12 93	14011-1734	14071-1219	14184-0915
11370-4274	12030-20120	13013-14 95	14012-1535	14072-1027	14185-0915
11373-1274	12030-22120	13014-14 95	14012-1735	14074-0923	14200-2135
11373-2274	12030-23120	13015-14 95	14013-1535	14074-1123	14370-2218
11399-8074	12035-00120	13018-14 94	14013-1735	14075-0923	14370-2318
11399-8774	12040-01 119	13019-14 94	14014-1735	14075-1123	14501-14 30
11412-1173	12040-02 119	13020-1292	14015-1735	14076-0926	14502-1430
11413-1173	12040-03119	13021-1292	14016-1433	14077-0924	14504-1430
11445-1273	12050-01 117	13108-12 93	14016-1833	14077-1024	14505-1430
11480-1173	12050-02 117	13109-1293	14017-14 33	14078-1022	14508-1532
11485-1173	12050-03117	14000-1229	14017-18 33	14079-1022	14509-1532
11487-1173	12050-10117	14000-1329	14018-1332	14080-1127	14510-15 34
11506-12 84	12050-20 117	14000-1429	14018-1432	14081-0926	14510-17 34
11602-14 86	12051-08116	14000-1629	14018-1832	14082-0926	14511-1534
11602-16 90	12051-09116	14000-1829	14019-1332	14083-0815	14511-1734
11608-1586	12051-10 116	14000-2029	14019-1432	14084-0815	14512-1534
11616-15 85	12051-11116	14001-1229	14019-1832	14084-0915	14512-1734

14518-1432	15017-1010	16005-1639	17005-04124	18020-40 117	18055-05132
14518-1832	15018-104	16015-17 36	17006-05126	18020-50 117	18055-06132
14519-1432	15019-104	16016-17 36	17007-08126	18020-60 117	18056-14132
14519-1832	15020-156	16020-1436	17008-07125	18020-70117	18057-14132
14531-0931	15021-156	16021-14 36	17009-07125	18025-1077	18060-20141
14558-0921	15023-108	16022-1537	17009-08125	18026-1077	18061-10141
14558-1121	15024-108	16023-1537	17010-07125	18030-30117	18061-15141
14559-0921	15025-108	16025-1447	17011-10127	18030-40117	18061-18141
14559-1121	15027-1812	16030-1244	17012-11128	18030-50117	18061-20141
14568-0920	15028-1812	16030-16 44	17012-13128	18030-60117	18061-22141
14568-1220	15030-1413	16044-10 44	17017-10127	18030-70117	18061-24141
14569-0920	15031-1413	16050-15 45	17018-11128	18030-80117	18061-38141
14569-1220	15032-0814	16060-1141	17020-17122	18035-01159	18061-50141
14574-0923	15032-1314	16101-1042	17021-13122	18035-02159	18061-75141
14574-1123	15033-098	16102-1142	17022-13122	18035-03159	18062-12135
14575-0923	15036-1413	16104-1446	17023-13122	18035-05159	18062-13135
14575-1123	15037-1413	16104-1946	17370-53124	18035-35159	18063-13135
14958-0921	15040-119	16105-16 46	18000-00158	18035-50159	18064-20141
14958-1121	15042-119	16106-14 46	18000-01158	18035-80159	18065-20141
14959-0921	15070-084	16107-14 40	18000-02158	18036-19159	18067-11 99
14959-1121	15071-084	16109-14 40	18000-03158	18036-22159	18080-01 134
15000-003	15110-0811	16120-14 36	18000-04158	18036-24159	18080-02 134
15000-015	15111-0811	16121-1436	18000-10138	18038-45133	18080-03 134
15000-025	15123-126	16130-1545	18000-15 144	18039-45133	18090-00156
15000-033	15124-126	16140-11 43	18000-18157	18040-00 134	18105-01159
15000-043	15300-0014	16141-1143	18000-20157	18040-11130	18105-03159
15000-083	15370-507	16142-1143	18000-30150	18040-14131	18131-12136
15000-103	15370-527	16143-12 43	18000-35 163	18040-22130	18132-12136
15000-115	15371-9212	16144-1343	18000-45149	18040-33130	18133-12136
15000-125	15396-005	16150-2447	18000-46149	18050-28133	18144-30133
15001-083	15396-015	16152-1144	18000-50149	18050-35133	18155-1381
15002-083	15400-126	16152-12 44	18000-51149	18050-50133	18200-01129
15003-084	15401-126	16152-15 44	18004-18157	18051-28133	18200-02129
15004-084	15514-129	16220-1436	18004-23157	18051-35133	18200-03129
15005-084	15610-085	16221-14 36	18004-27157	18051-50133	18200-04129
15006-098	15615-085	17000-01123	18004-50157	18052-01133	18200-05129
15007-084	15617-085	17000-02123	18010-00158	18052-02133	18200-06129
15008-084	15650-1110	17000-03123	18010-01158	18052-03133	18200-07129
15009-087	15651-1110	17000-04123	18010-02158	18052-12135	18200-08129
15010-0911	15750-117	17001-07126	18020-00117	18053-28133	18200-09129
15010-10 11	15751-117	17002-02123	18020-01 117	18054-28133	18200-10129
15011-129	16000-1438	17003-03123	18020-02 117	18055-01132	18200-11129
15012-129	16001-1539	17004-03123	18020-03 117	18055-02132	18200-12129
15013-129	16002-1837	17004-05124	18020-20 117	18055-03132	18200-20129
15015-1110	16004-1639	17005-03123	18020-30 117	18055-04132	18200-50129

18374-43 133 20840-02 153 26016-12 106 29060-05 147 9 18374-44 133 20840-03 153 26018-17 106 29060-06 147 9 18403-11 139 20842-03 153 26029-10 83 29066-00 147 9 18406-11 139 20850-00 153 26030-10 83 29066-01 147 9 18406-13 139 20850-10 153 26100-00 48,106 29066-02 147 9	91401-12
18403-11 139 20842-03 153 26029-10 83 29066-00 147 53 18406-11 139 20850-00 153 26030-10 83 29066-01 147 53 18406-13 139 20850-10 153 26100-00 48,106 29066-02 147 53	91402-12173 91402-14173 91413-14174 91460-11173
18406-11139 20850-00153 26030-1083 29066-01147 8 18406-13139 20850-10153 26100-0048,106 29066-02147 8	91402-14173 91413-14174 91460-11173 91461-11173
18406-13139 20850-10153 26100-0048,106 29066-02147	91413-14174 91460-11173 91461-11173
	91460-11173 91461-11173
18555-01132 20890-51153 27000-01165 29066-03147	91461-11173
18555-02132 20890-72153 28000-07148 29066-04147 9	91500-09173
18555-03132 23005-10118 28000-10148 29071-01146 9	
18555-04132 24201-00143 28000-12148 29071-02146 9	91501-09173
18601-15137 24201-01143 28001-00150 29071-03146 9	91604-09174
18602-15137 24212-01142 28001-02150 29071-04146 9	91606-07179
18603-14137 24212-02142 28015-15152 29071-05146 9	91706-05179
19003-00165 24214-02142 28015-25171 29071-06146 9	91815-11175
19003-01165 24215-02142 28020-20152 29071-07146	
19007-05157 24220-00143 28020-28171 29071-08146	
19007-07157 24220-10143 28030-02166 29080-00146	
19007-09157 24220-50 143 28030-03 166 30051-10161	
19007-14157 26000-25107 28030-04166 30076-14160	
19007-21157 26000-30107 28030-10166 30085-15162	
19007-29157 26000-35107 28030-20169 30085-30162	
19008-07157 26000-40107 28030-25169 30087-00163	
19008-09157 26000-45107 28040-30168 30087-20163	
19008-14157 26000-50107 28050-30168 30090-06160	
19009-0048 26000-55107 28050-35168 37000-00161	
19009-05157 26000-60107 28080-00167 37500-00161	
19009-07157 26000-65107 28080-90168 91003-12179	
19009-09157 26000-70107 29000-0072,145 91100-12175	
19010-00 48 26001-25107 29000-10145,170 91100-16175	
19010-10 48 26001-30107 29008-01 144 91106-12175	
20020-00 154 26001-35107 29008-12 144 91110-10177	
20311-21 154 26001-40107 29008-22145 91113-10177	
20325-00151 26001-45107 29015-50145,170 91115-10177	
20325-10151 26001-50107 29025-01164 91117-10177	
20350-00151 26001-55107 29025-02164 91121-12175	
20810-01152 26001-60107 29026-00164 91127-12175	
20810-02152 26001-65107 29026-10164 91150-20176	
20820-00152 26001-70107 29027-00162 91197-00176	
20830-00155 26002-10107 29051-45144 91201-13178	
20830-01155 26002-15107 29055-00144 91308-12178	
20830-02155 26002-20107 29055-12144 91309-12178	
20830-03155 26007-01107 29060-00147 91400-10173	
20830-04155 26007-02107 29060-01147 91400-12173	
20830-05155 26007-03107 29060-02147 91400-14173	
20830-06155 26007-04107 29060-03147 91401-10173	

Alphabetical Index		Boehler bone cutter	45	Cannulation aids	135-139
		Bone		Cartilage Cutter	40
		Cutters	40-47	Cases, instrument	152-155
A		Delicate scraper	49	Castroviejo	
Absorption Spears and Triangles	159	Forceps	41	Caliper	163
Adson forceps8	4-85	Nipper	42	Needle holders	110-111
Adson	84	Pliers	47	Spring scissors	10
Adson-Brown	85	Rongeurs	36-39	Cauterizers, vessel	158
Adson DeBakey	85	Scissors	44	CeramaCut, scissors	21
Adson-Graefe	85	Scissors, Student	174	Ceramic	
Micro Adson	84	Scraper		About	183
Micro Adson Fenestrated	84	Screw forceps		Blades	52
Agricola retractor	124	Screws, self-tapping	48	Dumont forceps	63, 69
Allis hemostatic forceps	97	Shears		Scissors	21
Alm retractors	125	Wax	48	Spring scissors	7
Applicators		Bone cutters		Titanium	10
Micro serrefine130)-132	Beebee		Chisels	
Suture clips119	3-121	Bone Trimmers		Austin	49
Applying forceps, clamp131	I-132	Boehler		Dissecting	49
Arc blade		Cartilage Cutter		Circle forceps	83
Arteriotomy knives5	0-53	Cleveland		Circle knife	51
Artery scissors		Dumont carbon steel		Clamps	
Austin Chisel		Dumont epoxy coated		Applying forceps	131-132
AutoClip® System	121	Liston		Bulldog Artery Spring Clamps .	133
,		Littauer		Bulldog Type Serrefines	133
_		Malleus Nipper		Dietrich Bulldog Clamps	133
В		Offset Bone Nipper		Double Micro Clamps	130
Baby-Beyer		Skull Flap		Mini Serrefines	133
Baby-Mixter hemostatic forceps		Spring Scissors		Moria	133
Backhaus towel forceps		Tungsten Carbide		S&T	130
Balanced Instruments	137	Bone Nipper	42	Schwartz Micro Serrefines	133
Ball Tipped		Bonn	07	Silver Neuro Clips	134
Scissors		Artery		Titanium	132
Spring Scissors	8	Forceps		Vascular	130, 132-133
Beebee bone scissors	44	Micro probes		Vascular Occluders	134
Beyer rongeurs		Scissors		Cleveland bone cutters	46
Biemer spring scissors		StrabismusBook and DVD- <i>Suturing Principles</i>		Clip-On LED Light	169
Bishop-Harman forceps		,		Clipper style scissors	14
Bonn-Strabismus scissors	15	Bowman retractor Bulldog clamps		Cohan-Vannas spring scissors	5
Blade		Burrs		Colibri retractor	123
Breakers		Dull's	137	Colibri retractor (mini)	123
Cartridges	61			Combination Probe and Spatula	103
Holders 5	2-61	C		Combination Spoon and Spatula	103
Blades		Calipers		Contacts, Gold wire	165
Breakable	55	Castroviejo	163	Corers, sample	159
Ceramic	52	Digital electronic	163	Cover glass forceps	82
Scalpel5	2-61	Plastic Vernier	163	Cover slip forceps	67
Blair retractor	122	Cane blade	56	Crile hemostatic forceps	94

Crile-Wood needle holders	114	Extra Fine Bonn	15	Mouse handling	87
Curettes, micro	49	Explorers	101	Narrow Pattern	88
				Octagon	79
D		F		Organ holding	89
DeBakey forceps	85	Feeding needles	141	O-rings	72
Decapitation scissors		File set		Pierse fixation	81
Demagnetizer		Filters, sterilization containers.		Pin & bone screw holding	j48, 106
Diamond knives		Fine		Plastic	82
Dietrich bulldog clamps		Bonn	15	Potts-Smith	91
Digital Electronic Caliper		Forceps	73-79	Repair kit	72, 145
Dilator, vessel		Iris Scissors		Ring	83
Disposable safety scalpels		Scissors	15-28	Russian	89
Disposable scalpel box		Spring scissors	3-14	S&T	75, 77, 139
Dissecting Chisel		Fine Hemostat		Self-Closing	73
Dissecting knives		Fixation forceps, <i>Pierse</i>		Semken	86
Double-Ended Micro Spatula		Fomon retractor		Standard Forceps	81-91
Double Micro Clamps		Forceps		Standard Pattern	87
Double pronged tissue pick		Adson	84-85	Student	175-177
Double tip protectors		Adson-Brown	85	SuperGrip	75
Dowell spring scissors		Adson DeBakey	85	Suture tying	
Dressing forceps		Adson-Graefe	85	Taylor	91
Dumont		Applying and removing	119	Titanium	
Bone Cutter	41	Bishop-Harman		Tungsten carbide	84
Ceramic		Bone	41	Vetro Grasping	
Coverslip		Bonn	76	Vial	
Ероху		Cannulation	139	Friedman rongeur	
Forceps		Ceramic	63, 69	Friedman-Pearson rongeur	
Forceps repair kit		Circle	83	3	
Forceps sharpening stones.		Cover glass	82		
Laminectomy		Cover slip	67	G	
Mini Forceps		Cross action	82	Galilean Loupes	
Slide Lock		Dressing	80, 86-87	Gavage feeding needles	
Super Fine Tip		Dumont	41, 63-72,139	Gelpi retractor	
Teflon		Epoxy coated	41, 70-71	GenoPunch	142
Titanium		Fine	73-79	Gerald forceps	
Tweezers		Fixation	81	Gillies forceps	
Dura cutting knife		Gerald	90	Gold wire contacts	165
Dura hook		Gillies	89	Goldstein retractor	
		Graefe	08	Graefe forceps	
		Grasping	78	Graefe knife	50
E		Hemostatic	92-97	Grasping forceps	78
Ear		Insect handling	83	Grease, silicone	144
Punches	142	Laminectomy	70	Gross anatomy	
Tags	143	London	90	Knives	54
Tattoo system	143	Micro	63-76	Probe	103
Electronic timers	165	Mirror Finish	65, 73, 76	Scalpel	60
Etched micro needles	107	Moria	74	Scissors	29-35
Eschenbach magnifiers	168-169, 171	Mouse laminectomy	70	Guthrie retractor	122

INDEX

Н		Instrument		M	
Halsey needle holders	112	Beaker	156	Magnetic sterilization mat	151
Halsted-Mosquito hemostatic forc	eps93	Cases	152-155	Magnifiers	
Handles, scalpel	57-61	Holding spring	156	Eschenbach Clip-On LED Light	169
Hardened Fine Iris Scissors	16	Oil and Oil Pen	144	Galilean Loupes	168
Hartman hemostatic forceps	96	Sharpening Stones	144-145	Headband	
Headband magnifier	166	Tape, identification		Interchangeable Headset with	
Headband, spectacles	168	Tip protectors		Magnifying Loupe with Micror	
Heiss retractor	127	Iridectomy scissors		and LED	
Hemostatic forceps		Iris Spatulae		Spectacles	
Allis Forceps		iiis Spatulae	104	Stands	
Baby-Mixter				Scribolux	
Backhaus Towel Forceps		K			
Crile		Kaye scissors	28	Vario Flex	
Fine		Kelly hemostatic forceps	94	Malleus Nipper	
Halsted-Mosquito		Knives		Mandrel	
Hartman		Circle	51	Manipler®, skin stapler	
Kelly		Diamond		Manual and DVD, Suturing Principle	98
Left-handed		Dura cutting		and Techniques in Laboratory Anir	<i>mals</i> 119
Micro-Mosquito		Gross anatomy (blade)		Marker, skin	150
Providence-Hospital		Micro		Mat, silicone	153
Smooth				Mathieu needle holder	111
Student Ultra Fine		Sichel		Max Detail spectacles	169
Hippocampal dissecting tools		Stone age		Mayo scissors	34
Holders	100	Von Graefe	50	<i>Mayo-Hegar</i> needle holder	
Blade	52-61			Mayo-Noble scissors	
Ceramic blade		L		Mayo-Stille scissors	
Micro needle		LaGrange scissors	25	Metzenbaum scissors	
Needle		Laminectomy forceps, mouse		Baby scissors	32
Pin		Large Loops		Scissors	
Scalpel blade		Left-handed	10, 20, 01	ToughCut <i>Metzenbaum</i>	
Hooks		Fine scissors	17	•	
Micro	101-102			Tungsten Carbide <i>Metzenbaur</i>	
Spinal cord	99	Hemostatic forceps		Michel suture clips	119
Y-Hook		Ligation aid		Micro-	
V-Hook	135	Needle holders		Cannulation System	
Hot bead sterilizers	149	Surgical scissors		Curettes	
		Utility scissors		Dissecting knives	50-52
		Lempert rongeur		Dissection scissors	3-14
I Identification animal		Lens paper	145, 170	Forceps	63-76
Identification, animal	1/12	Lexer-Baby scissors	22	Hooks	101-102
Tattoo system		Ligation aid	135	Needles, etched	107
Ear punches		Ligature scissors	26	Needle holders	110
Ear tags	143	Lister scissors	31	Needles and sutures	116-117
Handling forceps	03	Liston gross anatomy cutter	46	Points	100,102
Pins		Littauer bone cutter		Probes	100-102
Insert	107	Live Insect Handling Forceps	83	Rongeurs	
	100 170	Lubricant, silicone		Serrefine applicators	
Pin holders	111n 179	LUDIICAIIC SIIICUIE		OGITGING GDDNGGGGGA	

Spatulae	102-104	Neuro clips, silver	134	Punches	
Micrometers	164	Noyes spring scissors	9	Ear	142
Micro-Mosquito Hemostat	93	Nylon suture thread	117	Neuro	157
Mini-Biemer spring scissors	14				
Mini-Colibri retractor	123	0		R	
Mini-Lister	31	_	F2	Repair kit, forceps	72 1/1
Mini-Vannas spring scissors	5	Obsidian scalpels		_ '	12, 143
Minutien pins	107	Occluders, vascular		Retractors Agricola	12/
Mirror finish		Octagon Forceps		Alm Retractors	
Cutting spoon	108	Offset Bone Nipper			
Forceps	65, 73	Oil, instrument		Blade	
Micro spatula	104	O-rings for forceps		Blair	
Suture tying forceps	76	Olsen-Hegar needle holders		Bowman	
Moria		Optical cleaning kit		Colibri	
Forceps	74	Organ holding forceps	83	Fine Adjustable Wire Retrac	
Instrument case	155			Fomon	
Retractors	124	P		Heiss	
Scissors	18	Pascheff-Wolff spring scissors	12	Gelpi	
Spoons		Pearson rongeur		Goldstein	
Spring scissors		Pen		Guthrie	
Vascular clamps		Oil	144	Large	
Mosquito hemostatic forceps		Skin Marker		Mini-Goldstein	
Mouse		Perforated Spoons		Mini-Colibri	
Feeding needles	141	Pick	100	Moria	
Laminectomy forceps		Double Pronged Pick	00	Slide	
Handling forceps		Pierse fixation forceps		Small	
		Pin holders		Speculum	
		Pins	100	Spring-Loaded	
N			lloo 107	Student	
Narrow Pattern Forceps	86	Etched Tungsten Micro Need		Systems	
Needle Holders		Insect		Weitlaner-Locktite	
Castroviejo		Insert		Wire	
Castroviejo with Tungsten Carbide		Minutien		Wullstein	
Crile-Wood		Plastic cases		Ring forceps	83
Halsey		Plastic forceps		Rongeurs	
Halsey with Tungsten Carbide Ja		Plastic sterilization container		Baby-Beyer	
Mathieu		Plastic Vernier Caliper		Beyer	
Mayo-Hegar		Potts-Smith forceps		Bone	36-39
Needle Holder with Suture Cutte		Pouches, sterilization	148	Friedman	
Olsen-Hegar with Suture Cutter .	113	Probes		Friedman-Pearson	36
Round Handled	110	Bonn Micro Probes		Lempert	39
Ryder Mini-Select Needle Holder	r115	Combination Probe and Spati	ula103	Luer	39
Slim Elongated Needle Holder	115	Gross Anatomy Probe		Micro	36
Needles		Micro Hooks		Pearson	36
Etched, micro	107	Micro Points	100, 102	Round Handled	
Feeding	141	Probes and Explorers	101	Needle holder	110
Micro needles and sutures		Vessel Dilating Probe	103	Spring scissors	6
Neuro punches	159	Providence-Hospital hemostatic fo	rceps95	Suture tying forceps	77

INDEX

Rulers		Mayo	34	Mini Hippocampal Dissec	ting Tool105
Label Tape	162	Mayo-Noble	35	Mirror Finish Micro Spatu	ıla104
Steel	162	Mayo-Stille	35	Spears, absorption	159
Russian forceps	89	Metzenbaum	32-33	Spectacles Headband	168
		Mini-Lister	31	Spectacles, magnifier	166-169
S		Moria	5, 7, 12, 18	Spencer Ligature	26
		Shea	25	Spinal Cord Hook	
S&T	100	Spencer Ligature	26	Spoons	
Cannulation forceps		Spring	3-14	Mini Perforated Spoon	108
Forceps		Standard Pattern	29	Mirror Finish Cutting Spo	
Instrument beaker		Stevens Tenotomy	24	Moria Spoon	
Micro needles and suture		Strabismus	23	Perforated Spoon	
SuperGrip forceps		Student	173-174	Spring scissors	
Suture tying forceps		Student Lister	174	Angled	3-5. 8-9. 11-13
Vascular clamps		Surgical	29-35	Ball Tipped	
Vessel dilator	136	Titanium	5	Biemer	
Safety scalpel		ToughCut6, 15, 2	0, 25, 30, 33-34	Bone Cutter	
Blade cartridges		ToughCut with tungsten ca	rbide21	Bonn	
Disposable		Tungsten carbide 9, 20,	21, 23, 30, 32, 34	Castroviejo	
Handle		Utility	161	Ceramic coated	
Sample corers		Vitrectomy	13	Clipper Scissors II	
Saw, Circular	157	Walton	24	Cohan-Vannas	
Scalpel		Screwdrivers	160-161	Dowell	
Blade handles		Screws, self-tapping bone	48	Extra fine	
Blade removers		Secure scalpel handle	58	Iridectomy	
Blades		Self closing forceps	73	•	
Ceramic blades		Self Holding Pin and Bone Screw	Forceps 48, 106	Mini-Vannas	
Disposal Box		Self-Sealing Sterilization Pouch	es148	Moria	
Disposal Safety		Semken forceps	86	Noyes	
Gross anatomy		Serrefines	132, 133	Pascheff-Wolff	
Safety Scalpels		Sharpening stones	144-145	Round Handled	
Stone age		Shea scissors	25	Serrated	, -
Schwartz micro serrefine	133	Shears, bone	47	Student Vannas	
Scissors		Sichel knife	50	Titanium <i>Vannas</i>	
Bone		Silicone lubricant	144	ToughCut	
Bonn	15, 27	Silicone mats	151	Trident II	
CeramaCut		Silicone tips, forceps	87	Vannas	
Clipper	14	Silk sutures	117	Vannas-Miniature	
Decapitation		Skin marker	150	Vannas-Tubingen	
Dissector		Skin staplers	120-121	Vannas-Wolff	
Dowell		Skull flap cutter		Vessels	
Fine	15-28	Slide retractors	123	Vitrectomy	
Kaye	28	Spatulae		Wescott	
La Grange	25	Combination Spoon and Sp	atula103	Spring, instrument holding	
Large loops		Combination Probe and Sp.		Stage micrometers	
Left-handed	17, 29, 161	Double-Ended Micro Spatu	la104	Standard Pattern Forceps	87
Lexer-Baby	22	Hippocampal Dissecting To		Standard Pattern Scissors	
Ligature	26	Iris Spatulae		Large Loops	
Lister	31	Micro Spatula	102, 104	Scissors	29-31

Serrations31
ToughCut30
Tungsten Carbide30
Staplers, skin120-121
Sterilizers, hot bead149
Sterilizing containers152-153
Sterilizing mats151
Sterilizing pouches148
Sterilizing wraps152
Stevens tenotomy scissors24
Stone Age Scalpels
Strabismus
Student
Bone Scissors
Dumont forceps176
Forceps175-177
Hemostatic forceps178
Instruments, About183
Lister174
Needle holder178
Pin holder179
Retractor179
Scalpel handle179
Scissors 173-174
Spring scissors, <i>Vannas</i> 173
SuperGrip forceps75
Surgical scissors
-
Left-handed
Surgery plate
Suture
Clips, AutoClip121
Clips, <i>Michel</i> 117
Needles 116-117
Nylon 117
S&T micro needles and suture 116
Suturing Principles and Techniques in
Laboratory Animals, Manual and DVD 118
Thread 116-117
Tying forceps
, 3
-
T
Tags, Ear143
Таре
Dispenser150
Identification146
Sterilization150
Ruler Label162
Tattoo system143
Taylor forceps91
,

Tip protectors147
Tip Replacement87
Tissue
Pick99
Scissors27
Titanium
About183
Artery clamp133
Ceramic10
Forceps
Micro Point102
Micro Spatula102
Scissors5
Serrefines132
Vascular Clamps130, 132
Y-Hook102
Tools160-161
ToughCut
About183
Bonn-Strabismus15
<i>Mayo</i> 34
Metzenbaum33
Scissors
Spring scissors6
Spring scissors
Scissors with tungsten carbide21
Scissors with tungsten carbide21 Standard Pattern30
Scissors with tungsten carbide21 Standard Pattern30 Trephines157
Scissors with tungsten carbide
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 4 About 183 Burrs 157 Forceps 84 Mayo 34
Scissors with tungsten carbide
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 183 About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9 Scissors 9, 20-21, 23, 30-32, 34, 44
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9 Scissors 9, 20-21, 23, 30-32, 34, 44 Scissors with ToughCut 21
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 8 About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9 Scissors 9, 20-21, 23, 30-32, 34, 44 Scissors with ToughCut 21 Standard Pattern 30
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 84 About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9 Scissors 9, 20-21, 23, 30-32, 34, 44 Scissors with ToughCut 21 Standard Pattern 30 Strabismus 23
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 183 About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9 Scissors 9, 20-21, 23, 30-32, 34, 44 Scissors with ToughCut 21 Standard Pattern 30 Strabismus 23 Tweezers, Dumont 41, 63-72, 139
Scissors with tungsten carbide
Scissors with tungsten carbide 21 Standard Pattern 30 Trephines 157 Trident II spring scissors 11 Tungsten needles, etched 107 Tungsten carbide 183 About 183 Burrs 157 Forceps 84 Mayo 34 Metzenbaum Fino 32 Needle holders 111-115 Noyes 9 Scissors 9, 20-21, 23, 30-32, 34, 44 Scissors with ToughCut 21 Standard Pattern 30 Strabismus 23 Tweezers, Dumont 41, 63-72, 139

V	
Vannas spring scissors	
Vannas-Miniature spring scissors	5
Vannas-Tubingen spring scissors	
Vannas-Wolff spring scissors	
Vascular clamps	.130, 132-133
Vascular occluders	134
Vernier caliper	163
Vessel cannulation aids	136-139
Vessel cauterizer	158
Vessel dilating probe	103
Vessel dilators	.103, 136-137
Vessel spring scissors	14
Vetro grasping forceps	78
Vial forceps	78
VisorLight	166
Vitrectomy scissors	13
V-Hook	135
Von Graefe knife	50
W	
Wagner	19
Walton	24
Wax	48
Weitlaner-Locktite retractor	128
Westcott spring scissors	10
Wire contacts, gold	165
Wire teeth retractor	125
Wound Closure	110-121
Wraps, sterilization	
Wullstein retractor	

Utility scissors161

Fine Science Tools Online

Helping you find and buy the right tools

Whether you contact us at our offices, through dealers, or online—our priority is customer service. As part of that service, we have a variety of features to help you research, quote, and purchase Fine Science Tools products at **finescience.ca**. These features enhance and streamline your shopping experience by helping you:


- Quickly identify products by type and attributes with advanced search
- Get detailed specs and enlarged product views
- Use the extensive FAQs and pop-up glossary
- Save quotes and convert to orders online

- Pay with credit card or purchase order*
- View your online order history
- Track your shipments
 - *Payment by purchase order is available only for customers with a Net 30 account.

Our website is more engaging and informative than ever.









We are continuously adding new products to our inventory. Visit **finescience.ca** to view all of our products.

FST products are not meant for use on humans.

Products offered by FST are sold with the understanding that they are used by qualified persons in veterinary, research and experimental procedures only. All of our European suppliers are ISO 9001 certified.

All FST surgical instruments are made from the finest German or Swedish stainless steel alloys (unless otherwise noted) and manufactured by skilled European craftsmen.

Most surgical instruments are shown actual size. As these instruments are handcrafted, dimensions may vary slightly from those stated in this catalog.

The information in this catalog is accurate to the best of our knowledge. Designs, styles and dimensions depicted in this catalog are subject to change without notice. All recommendations or suggestions are made without guarantee, and we disclaim any liability incurred in connection with any recommendation. With the purchase of any product from this catalog the user assumes all risks and liabilities whatsoever in the use of such products. Neither seller nor manufacturer shall be liable in tort or contract for any loss or damage (direct, incidental, or consequential) arising out of the use, misuse, or inability to use such product.

FST is a registered trademark of Fine Science Tools Inc. Fine Science Tools, ToughCut, CeramaCut, and Fine Surgical Instruments for Research are trademarks of Fine Science Tools Inc. FST, ToughCut, and CeramaCut are registered trademarks of Fine Science Tools (USA) Inc. Fine Science Tools and Fine Surgical Instruments for Research are trademarks of Fine Science Tools (USA) Inc. Fine Science Tools GmbH.

© COPYRIGHT 2019 The Text, photos and drawings contained in this catalog are proprietary to Fine Science Tools Inc. and may only be copied, duplicated or otherwise reproduced with the written consent of Fine Science Tools Inc.